

Quality products since 1937

Dedeco®

REMOVE



SMOOTH



FINISH




POLISH



**THE LEADER IN PROFESSIONAL
GRADE SPECIALTY ABRASIVES**

POWERFUL

DURABLE



PORTABLE

LIGHTWEIGHT

BRUSHLESS | 35K RPM

3/32" (2.35mm) & 1/8" (3.18mm) Handpieces

The preferred choice of technicians, carvers and makers.

EASY TO USE		
Specially designed for		
 SUNBURST® &  Dedeco®		
Works with all standard rotary tool accessories		
Digital RPM display supports safe use		
Minimal Vibration • Whisper Quiet		
CONTROL BOX		
Switch:	Forward/Reverse	<i>Bi-directional</i>
Battery:	Li - Ion	<i>Rechargeable</i>
Operating Time:	~ 10 hrs	<i>Long-lasting</i>
Charge Time:	5 hours	<i>Quick</i>
Dimensions:	5.4" x 2.7" x 1.1"	<i>Compact</i>
Weight:	8.7 oz	<i>Lightweight</i>
HANDPIECES		
Design:	Slim	<i>Ergonomic</i>
Motor:	Brushless	<i>Modern</i>
Speed:	0-35,000 RPM	<i>Fast</i>
Dimensions:	.75" x 5.1"	<i>Pencil Grip</i>
Weight:	4.4 oz	<i>Lightweight</i>

ITEM	DESCRIPTION	QTY
1000	Set with 3/32" Handpiece	1
1001	Handpiece 3/32"	1
1002	Set with 1/8" Handpiece	1
1003	Handpiece 1/8"	1
Sets include control box, handpiece, belt clip and charger.		



FUN FACT:

MOTO-TOOL used to be a registered trademark of DREMEL®

FOR USE WITH ALL MODELS UP TO & INCLUDING 1"

Caution: Always wear safety goggles when operating power tools



Dedeco International, Inc.

11617 State Route 97, Long Eddy, N.Y. 12760-0244
phone: (845) 887-4840 · fax: (845) 887-5281
email: service@dedeco.com · web: www.dedeco.com

To Our Valued Customers,

Dedeco, formerly a division of 3M, has been a leading manufacturer of specialty abrasives since 1937.

From inception, our continuing investment in research and development has enabled us to enhance our manufacturing processes. From our world-famous classic rubberized abrasives, primarily for the dental & jewelry industries, to our Sunburst range and diamond-filled abrasives used to remove, smooth, finish and polish today's latest dental and industrial materials, Dedeco remains the industry leader in cutting-edge abrasive technology.

We have also continued to invest in our website - **dedeco.com**. The site now features new product filters, a resources section with SDS, application profiles, foreign language catalogs and more. Sign up to our newsletter to receive new product announcements, promotions, helpful tips and invitations to special events.

Progress has not changed our values. We still believe in providing personalized customer service and delivering only superior quality products innovated to meet the ever-changing needs of the diverse industries we serve worldwide – these are the hallmarks that have always, and will always, set Dedeco apart.

We are truly grateful for the support our customers have shown throughout the years. Your loyalty has been the driving force behind our growth and success. We look forward to continuing to serve you with excellence and innovation.

On behalf of our entire team and the generations of employees that preceeded them, we offer our most sincere thanks.

David B.I. Antler, President


Steven M. Antler, Chairman




Quality Products Since 1937



Jewelry




Metalworking




3D Print



Aerospace




DIY



Welding




Automotive



Dental




Tool & Die



Robotics

WHAT IS SUNBURST®



Dedeco®'s trademark for our range of thermoplastic-bonded abrasives, specifically designed to compete with 3M® Scotch-Brite® Radial Bristle Discs, for deburring, finishing, cleaning and polishing metals, plastics, woods, ceramics, acrylics and composites.

3M® pioneered it -  perfected it.

Simply stated, we offer comparable quality, adopted their well established color-code to facilitate substitution and are responsive to our customers' needs. We also offer more grits and dozens of unique shapes and sizes, including our patented dual and knife-edge designs.

Grits

Aluminum Oxide
Silicon Carbide
Pumice
Diamond
Plastic

Shapes

Discs
Brushes
Points/Pins
Bands
SR Cutters

Sizes

2mm
↑
↓
12"

Available individually and in handy assortments.

Works with MOTO-TOOL® and Dremel-type handheld rotary tools, bench and pedestal grinders as well as CNC and automated manufacturing machines - where consistency and durability are valued.



LIMITLESS APPLICATIONS



Industrial - Deburr, clean, finish and polish across grit sizes ranging from 36 to 2000. From heavy removal to blending and mirror-like polishing, in manufacturing and maintenance operations, SUNBURST® covers virtually all applications.



Jewelry - Precision range is ideal for finishing, smoothing and high-lustre polishing of all precious, semi-precious and non-precious metals. Pumice discs will not scratch stones. No compounds, rouges or pastes required.



Medical & Dental - Our unique silicon carbide range is the preferred choice to avoid contamination in manufacturing medical instruments. Diamond, silicon carbide and aluminum oxide grits are suitable for dental materials. Sterilizable & autoclavable.



Woodworking - Superior to sandpaper, flap wheels and other types of sanders, brushes and abrasive wheels. Ideal for cleaning detailed areas and texturing for woodcarvers & woodworkers.



Automated Manufacturing - From deburring of turbine engine components to polishing airfoils after milling, using SUNBURST® on robotic finishing systems for the aerospace and power generation industries reduces or eliminates manual labor, lowers unit costs and achieves new levels of consistency.

Industries

- 3D Print Postprocessing
- Aerospace
- Automated Manufacturing
- Automotive Aftermarket
- Beauty
- Castings / Forgings
- Coin Polishing
- Construction Equipment
- Custom Fabrication
- Dental
- DIY
- Electronics
- Energy
- Engine Rebuild
- Facility Maintenance
- Firearms / Gunsmithing
- Hardware
- Hobbyists
- Jewelry
- Knives / Blades
- Locksmiths
- Machine Shops
- Maker
- Manufacturing
- Medical Instruments
- Metal Fabrication
- Mold Making
- MRO
- Musical Instruments
- Plumbing Fixtures
- Research & Development
- Robotics
- Shipbuilding / Repair
- Tool & Die
- Welding
- Woodworking

Applications

- Cleans & Removes:
 - Mill Scale / Corrosion
 - Weld Discoloration
 - Burn Marks
 - Coatings
 - Firescale
 - Oxidation
 - Rust
 - Grinding Marks
 - Sealant
- Industrial Finishing & Deburring
- Paint Preparation
- Polishing
- Texturing
- Wood - Sanding, Defuzzing & Denibbing

HELLO, RADIAL DISCS GOODBYE, WIRE BRUSHES

SUNBURST® radial bristle discs and brushes are the preferred alternative to wire, nylon and non-woven abrasives. Experience improved performance without threat of injury.

- **Safer** - Danger from high-velocity needle-like flying wire is eliminated.
- **Gentle** - Will not scratch or gouge the underlying surface.
- **Better** - Works faster and more efficiently than wire brushes. Easily achieve a consistent, quality finish with light pressure. Non-loading.
- **Sterilizable** - Essential benefit for medical and dental where health concerns are paramount.
- **Cool Running** - Open structure generates minimal heat reducing potential damage or distortion to the work surface.
- **Dust Free** - Durable, dust-free alternative to non-woven abrasives.
- **Long-lasting** - Uniformly blended bristles guarantee extended wear life and a consistent, uniform finish.
- **Operating Speeds** - Lower speeds allow a softer touch, greater flexibility and more subtle results. Higher speeds provide more aggressive material removal. Using the tips of the bristles with light pressure maximizes disc life.
- **Conformability** - Flexible bristles conform to contours, cracks and corners while working equally well on flat surfaces.
- **Modular** - Use a single disc for tight areas like slots and grooves. For larger surface areas stack them as high & wide as your imagination, machinery and equipment will permit. (See mandrel guide, next page).



Abrasive-filled throughout



COMPARE TO TRADITIONAL ALTERNATIVES

	CONFORMABILITY	DURABILITY	CONSISTENCY	SAFETY CLEANLINESS	PERFORMANCE	OVERALL
 WIRE	Minimal conformability; heavy pressure required	Long lasting but loses shape quickly	Inconsistent - finish varies from part to part	Ejects high velocity, needle-like wires (messy and dangerous)	Unreliable - inconsistent material removal	OK
 NYLON	Moderately conformable	Short life	Inconsistent - performance drops off quickly	Used fiber debris may plug dust collectors (hard to clean up)	Good finish and cut. Short life.	Good
 NON-WOVEN	Very conformable	Short life	Consistent finish	Used fiber debris may plug dust collectors (hard to clean up)	Good finish, low cut performance, short life	Better
 SUNBURST	Very conformable; Minimal pressure required; Operator preferred	Long lasting - uniform performance throughout product life	Consistent finish - uniformly blended bristles assure quality finish	Safe, clean & easy to use	Good finish, consistent material removal, long life	Best


MANDREL / ADAPTER GUIDE

Stack individual discs to customize the thickness you need

DIMENSIONS		MANDREL/ADAPTER		
DISC Ø	ARBOR Ø	ITEM	SHANK Ø	MAX DISCS
9/16" / 14.3mm 5/8" / 15.8mm	1/16" 1.6mm	1347	3mm	5
		5425	3/32"	6
		0261	1/8"	4
		1364	1/4"	12
3/4" / 19.1mm 7/8" / 22.2mm		1347	3mm	4
		5425	3/32"	5
		0261	1/8"	3
		1364	1/4"	10
1" / 25.4mm	1/8" 3.18mm	1360	3/32"	3
		1363	1/8"	6
		1348	6mm	4
		1365	1/4"	10
2" / 50.8mm	3/8" 9.5mm	1349	6mm	16
1366		1/4"		
3" / 76.2mm		1349	6mm	TC 15 TA 12 TC 15 TA 12
		1366	1/4"	
4" / 101.6mm		1349	6mm	15
		1366	1/4"	
2" / 50.8mm 3" / 76.2mm 4" / 101.6mm	3/8" 9.5mm	1361	Left Spindle Adapter	12
		1362	Right Spindle Adapter	


How to
Assemble
Video

snbr.st/stack



BRISTLE DISC GUIDE

TC and TA must rotate with the radius of the bristles



TC - Curved, thinner bristles for greater conformability than **TA** and **TS**.

TA - Angled, thicker bristles for greater aggressiveness but less conformability than **TC**.

TS - Straight bristles for aggressive bi-directional cleaning and deburring.

COLOR-CODE & APPLICATIONS

Ultra-Coarse
36 Grit
(Aluminum Oxide)

Extra-Coarse
50 Grit
(Aluminum Oxide)

Coarse
80 Grit
(Aluminum Oxide)

Medium
120 Grit
(Aluminum Oxide)

Standard
220 Grit
(Aluminum Oxide)

Fine
400 Grit
(Aluminum Oxide)

Fine
600 Grit
(Pumice)

Extra-Fine
6 Micron
(Aluminum Oxide)

Ultra-Fine
1 Micron
(Aluminum Oxide)

Coarse
90 Grit
(Silicon Carbide)

Medium
240 Grit
(Silicon Carbide)

Fine
400 Grit
(Diamond)

Fine
400 Grit
(Silicon Carbide)

Extra-Fine
1000 Grit
(Silicon Carbide)

Ultra-Fine
1 Micron
(Diamond)



Ultra-Coarse



Ultra-Fine

	Remove		Smooth		Finish		Polish		
Aluminum Oxide	36	50	80	120	220	400	6μ	1μ	Metal, Wood, Plastic
Pumice							600		Jewelry - will not scratch stones
Diamond							1μ		Metals & Dental Composites
Silicon Carbide	90		240		400		1000		Metals - Medical, Aero, Food Grade

6μ ≈ 3,500 Grit | 1μ ≈ 14,000 Grit

OPERATORS' TOOL GUIDE

MODEL	MANUAL GRINDERS / TOOLS					AUTOMATED MACHINES
	Rotary*	Die	Bench	Angle	Burnishing	Custom/Robot/CNC
Pins	X					X
Points	X					X
Bands	X					X
Discs < 1"	X					X
Discs 2", 3", 4"		X	X	X		X
4" x 4" Brushes					X	X
Discs 6", 7-5/8", 8"		X	X	X		X
Discs 10", 12"						X
E-Z Loc® Brushes				X		X
E-Z Loc® TA Discs		X	X			X

* MOTO-TOOL®, Dremel®-type rotary tool, pencil grinder, micromotor, flex shaft, eFile

GENERAL APPLICATION GUIDELINES

INDUSTRY		REMOVE		SMOOTH		FINISH		POLISH			
MANUFACTURING	- 3D Print Postprocess - Aerospace - Automation / Robotics - Automotive - Building / Construction - Collision Repair - Electronics - Engine Rebuild - Firearms / Gunsmith - Maintenance / MRO - Medical Instruments - Metal Fabrication - Shipbuilding - Tool & Die / Mold - Welding Excellent on aluminum, steel, iron and non-ferrous metals like copper & brass. 3D - deflash plastic & metal parts. Aerospace & Electronics - light deburring on aluminum & copper parts. Automotive - surface conditioning & gasket removal. Tire adhesive removal. Welding - clean seams, discoloration & splatter.	36 (A/O)	50 (A/O)	80 (A/O)	120 (A/O)	220 (A/O)	400 (A/O)	600 (Pumice)	6µ (A/O)	1µ (A/O)	
		CLEANING & SURFACE CONTAMINANT REMOVAL									
		AGGRESSIVE	HEAVY DUTY	STANDARD	LIGHT DUTY						
		Adhesives / Glues • Rust • Coatings • Sealant • Corrosion Stains • Oxidation • Varnish • Paint • Weld Burns									
		LIGHT GRIND/REDUCE	BLEND								
							TEXTURE		FINE BRUSHED FINISH		
							BRUSHED FINISH				
							TEXTURE		FINE BRUSHED FINISH		
							BRUSHED FINISH				
							TEXTURE		FINE BRUSHED FINISH		
LEARN AND GET INSPIRED WITH OUR VIDEOS AND CURATED PLAYLISTS. YOUTUBE SNBR.ST/YT											



LEARN AND GET INSPIRED
WITH OUR VIDEOS AND
CURATED PLAYLISTS.

YOUTUBE
SNBR.ST/YT

RPM×1000		MODEL	ASST A/O	36 A/O	50 A/O	80 A/O	120 A/O	220 A/O	400 A/O	600 PUMICE
Rec.*	Max.									
10-20	35	2mm Pins	1370	—	—	1371	1372	1373	1374	—
10-20	35	3mm Pins	1380	—	—	1381	1382	1383	1384	—
12-25	35	Points Shape 12	1400	—	—	1401 / 1402	1403 / 1404	1405 / 1406	1407 / 1408	—
12-25	35	Points Shape 14	1400	—	—	1413 / 1414	1415 / 1416	1417 / 1418	1419 / 1420	—
12-25	35	Points Shape 15	1400	—	—	1425 / 1426	1427 / 1428	1429 / 1430	1431 / 1432	—
6-12	20	1/2" Snap-On Discs	1350	—	—	1351	1352	1353	1354	1355
6-18	35	1/2" x 1/2" Bands	1840	1341	1342	1343	1344	1345	1346	—
10-20	35	9/16" TC Discs	3740	—	—	3741 / 3742	27614 - 3743 / 3744	27615 - 3745 / 3746	27616 - 3747 / 3748	27617 - 3749 / 3750
10-20	35	5/8" TC Discs	1220	—	—	1221 / 1222	1223 / 1224	1225 / 1226	1227 / 1228	1229 / 1230
10-20	35	5/8" TC Knife-Edge	1751	—	—	1752 / 1753	1754 / 1755	1756 / 1757	1758 / 1759	1760 / 1761
10-20	35	3/4" TC Discs	3840	—	—	25755 - 3841 / 3842	33716 - 3843 / 3844	25757 - 3845 / 3846	25758 - 3847 / 3848	25759 - 3849 / 3850
10-20	35	7/8" TC Discs	1240	—	—	1241 / 1242	1243 / 1244	1245 / 1246	1247 / 1248	1249 / 1250
10-20	35	7/8" TC 4-PLY	1260	—	—	1261	1262	1263	1264	1265
10-20	35	7/8" TC Dual Discs	1920	—	—	1921 / 1922	1923 / 1924	1925 / 1926	1927 / 1928	1929 / 1930
10-20	35	7/8" TC Knife-Edge	1940	—	—	1941 / 1942	1943 / 1944	1945 / 1946	1947 / 1948	1949 / 1950
10-20	35	1" TC Discs	1741	27610 - 1271 / 1272	27611 - 1273 / 1274	27612 - 1275 / 1276	27613 - 1277 / 1278	1279 / 1280	1281 / 1282	—
10-20	35	1" TC 4-PLY	1780	1781	1782	1783	1784	1785	1786	—
10-20	35	1" TS Discs	2210	2211 / 2212	2213 / 2214	2215 / 2216	2217 / 2218	2219 / 2220	2221 / 2222	—
10-20	35	1" TS 6-PLY	2853	2836	2837	2838	2839	2840	2841	—
8-15	30	1" E-Z Loc Brushes	1914	1860	18698 / 07530 - 1863	18706 / 07531 - 1864	18710 / 07532 - 1865	1791	1792	—
8-15	30	2" TC Discs	—	2241	2242	30118 - 1291	30120 - 1292	30121 - 1293	30122 - 1294	30123 - —
8-15	30	2" TC 3-PLY	2350	2243	2244	1301	1302	1303	1304	—
8-15	30	2" TC 6-PLY	2360	2245	2246	1311	1312	1313	1314	—
8-15	30	2" TC 6-PLY 1/4"	—	2249	2250	1807	1808	1809	1813	—
8-15	25	2" E-Z Loc Brushes	1915	1861	18730 / 07524 - 1866	18732 / 07525 - 1867	18733 / 07528 - 1868	1793	1794	—
4-12	20	3" TC Discs	—	2251	2252	30126 - 1321	30127 - 1322	30128 - 1323	30129 - 1324	30130 - —
4-12	20	3" TC 3-PLY	2370	2253	2254	1331	1332	1333	1334	—
4-12	20	3" TC 6-PLY	2380	2255	2256	1341	1342	1343	1344	—
4-12	20	3" TC 6-PLY 1/4"	—	2259	2260	1829	1830	1831	1832	—
4-12	20	3" E-Z Loc Brushes	1916	1862	18734 / 07526 - 1869	18736 / 07527 - 1870	18737 / 07529 - 1871	1795	1796	—
4-12	25	3" TA Discs	—	1858	24279 - 1872	24280 - 1873	24281 - 1874	—	—	—
4-12	25	3" TA E-Z Loc Discs	—	1859	24276 / 07542 - 1875	24277 / 07543 - 1876	24278 / 07544 - 1877	—	—	—
4-12	25	3" TS Discs	—	2425	2426	2427	2428	—	—	—
4-12	25	3" TS 6-PLY	—	2421	2422	2423	2424	—	—	—
4-12	12	4" TC Discs	—	2261	2262	2263	2264	2265	2266	—
4-12	12	4" x 1/2" TC	—	2271	2272	2273	2274	2275	2276	—
4-12	12	4" TA Discs	—	2455	2456	2457	2458	—	—	—
4-12	12	4" x 1/2" TA Discs	—	2451	2452	2453	2454	—	—	—
4-12	12	4" TS Discs	—	2435	2436	2437	2438	—	—	—
4-12	12	4" x 1/2" TS Discs	—	2431	2432	2433	2434	—	—	—
2-3	3.5	4" x 4" TC Brushes	—	2391	2392	2393	2394	2395	2396	—
1.5-6	12	4-1/2" E-Z Loc Brushes	—	33054 - 1849	24241 - 1850	24242 - 1851	24243 - 1852	—	—	—
1.5-4	6	6" TC Discs	—	2283	2284	33055 - 1884	33056 - 1885	33057 - 1886	33058 - 1887	—
1.5-4	6	6" x 1/2" TC	—	2281	2282	33215 - 1878	33212 - 1879	33213 - 1880	33214 - 1881	—
1.5-4	6	6" TA Discs	—	27621 - 1893	27622 - 1894	27623 - 1895	—	—	—	—
1.5-4	6	6" x 1/2" TA	—	27603 - 1890	27605 - 1891	27606 - 1892	—	—	—	—
1.5-4	6	6" TS Discs	—	2445	2446	2447	2448	—	—	—
1.5-4	6	6" x 1/2" TS Discs	—	2441	2442	2443	2444	—	—	—
1-3.2	6	7-5/8" TC Discs	—	—	—	33178 - 1900	33179 - 1901	33180 - 1902	33181 - 1903	—
1-3.2	6	7-5/8 x 1" TC	—	—	—	33129 - 1896	33130 - 1897	33084 - 1898	33085 - 1899	—
1-3.2	6	8" TS Discs	—	1919	33175 - 1907	33176 - 1908	33177 - 1909	1912	1913	—
1-3.2	6	8" x 1" TS	—	1918	33081 - 1904	33082 - 1905	33083 - 1906	1910	1911	—
1-1.8	1.5	10" TS Discs	—	1396	1397	1398	1399	—	—	—
1-1.8	1.5	10" x 1" TS Discs	—	1392	1393	1394	1395	—	—	—
1-1.8	1.5	12" TS Discs	—	1976	1977	1978	1979	—	—	—
1-1.8	1.5	12" x 2" TS Discs	—	1972	1973	1974	1975	—	—	—

[illegible]


UNIQUE SHAPES, SIZES, GRITS & ASSEMBLIES

ABRASIVES


SILICON CARBIDE | DIAMOND

PATENTED MODELS

TC DUAL DISCS



TC KNIFE-EDGE





Double Thickness,
Staggered Bristles




Thin yet stable for
cleaning slots, threads
and other tight channels

Cool-running, dust-free, longer lasting
alternative to traditional rubber wheels.

- A. 2mm Pins
3mm Pins
- B. Points - Shapes
12, 14, 15
- C. 1/2" x 1/2"
Bands
- D. 1/2" Snap-On
Discs
- E. 1" TS Discs
- F. 3" TS Discs
- G. 4" TS Discs
- H. 4" TC Discs
- I. 4" TA Discs
- J. 4" x 4" TC
Brushes
- K. 6" TS Discs
- L. 10" TS Discs
- M. 12" TS Discs



QUICK CHANGE | PRE-ASSEMBLED | MOUNTED



Increases productivity!



SR (Sealant Removal) CUTTERS

For fast, effective aircraft seam sealant removal without damage to the underlying surface.




ITEM	DESCRIPTION	QTY
1838	3/8" (9.35mm) Ideal for use in hard-to-reach areas and tight corners	50
1839	3/4" (19.05mm) Features an internal cavity for fitting directly over standard fasteners and rivets	50

Max. RPM 1,000

Designed to replace messy chemical solvents and slow & inefficient hand scraping. SR Cutters' sharp resin-bonded blades quickly remove the usually thick coatings of polysulfide and polythioether material applied to the seams of wing panels and fuel tanks without damage to the substrate.

SR Cutters have a 1/4"-28 mandrel which threads directly into a right angle drill.



Use with right angle drill



CASE STUDY

Customer Description: Specializes in aircraft maintenance, modifications, conversions, and technical solutions. When customer was conducting internal testing, the goal was to look for a cost improvement as well as a quality replacement.



Ideal for use in hard-to-reach areas and tight corners

3M SCOTCH-BRITE®:
3/8" (9.35MM)
SR CUTTER



DEDECO SUNBURST®:
3/8" (9.35MM)
SR CUTTER **1839**

Parts / Month



-25%

Cost / Part



-35%



Features an internal cavity for fitting directly over standard fasteners and rivets

3M SCOTCH-BRITE®:
3/4" (9.35MM)
SR CUTTER



DEDECO SUNBURST®:
3/4" (19.05MM)
SR CUTTER **1838**

Parts / Month



-25%

Cost / Part



-35%

POPULAR ASSORTMENTS

ITEM 1283

3D PRINT POSTPROCESS KIT 25pc

Comprehensive abrasive kit for precision adjusting of 3D printed metals, polymers & plastics includes: carbide burs, diamond disc and points, aluminum oxide and silicon carbide finishing wheels along with SUNBURST® discs and points.



ITEM 1208

DELUXE PRECISION ASSORTMENT 133pc

This ALL-IN-ONE set includes: 7/8" dual & knife-edge discs, 1/2" bands, 1/2" snap-on, 5/8" & 7/8" discs, 2mm & 3mm polishing pins and points in all grit textures plus 3/32", band, snap-on, 2mm & 3mm mandrels.



Perfect for every workbench!

ITEM 1209

FAVORITES ASSORTMENT DISCS, PINS & POINTS 116pc

This favorites set includes: 1/2" snap-on, 5/8" & 7/8" discs, 2mm & 3mm polishing pins and points in all grit textures plus 3/32", snap-on, 2mm & 3mm mandrel.



ITEM 1210

DISC ASSORTMENT 5/8", 7/8" & 1" 83pc

This popular set includes: 4 each 5/8", 7/8" & 1" discs in pumice and all aluminum oxide grit textures plus 3/32" and 1/8" mandrels.



TRY 'EM SETS



Simple and inexpensive way to **TRY SUNBURST®** and select your preferred aluminum oxide & pumice grit models.



ITEM	DESCRIPTION	QTY
1701	1/2" TC Snap-On TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8



1840	1/2" x 1/2" Band TRY 'EM SET 1 each in all 8 grit textures plus 3/32" mandrel	9
------	---	---




1703	5/8" TC Knife-Edge TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
------	---	---



1704	7/8" TC Dual Disc TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
------	--	---



1705	7/8" TC Knife-Edge TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
------	---	---



1706	Silicon Carbide TRY 'EM SET 1 each of 4 models in all 4 grit textures plus 3/32" mandrel	17
------	--	----

POINT ASSORTMENTS

3/32" (2.35mm) Shanks | OAL 1 3/4"



ITEM 1400

ALUMINUM OXIDE POINT ASSORTMENT 18pc

3 each in all 6 grit textures
each grit texture in shapes
12, 14 & 15



ITEM 2320

SILICON CARBIDE POINT ASSORTMENT 12pc

3 each in all 4 grit textures
each grit texture in shapes
12, 14 & 15



ITEM 1055

DIAMOND POINT ASSORTMENT 6pc

3 each in 2 grit textures
each grit texture in shapes
12, 14 & 15

REMOVE

SMOOTH



FINISH

POLISH

POINTS

3/32" (2.35mm) Shanks | OAL 1¼"

Grit	Size	SHAPE 12 		SHAPE 14 		SHAPE 15 	
		12/box	72/box	12/box	72/box	12/box	72/box
Aluminum Oxide	80	1401	1402	1413	1414	1425	1426
	120	1403	1404	1415	1416	1427	1428
	220	1405	1406	1417	1418	1429	1430
	400	1407	1408	1419	1420	1431	1432
	6μ	1409	1410	1421	1422	1433	1434
	1μ	1411	1412	1423	1424	1435	1436
Silicon Carbide	90	2321	2322	2329	2330	2337	2338
	240	2323	2324	2331	2332	2339	2340
	400	2325	2326	2333	2334	2341	2342
	1000	2327	2328	2335	2336	2343	2344
		1/unit		1/unit		1/unit	
Diamond	400	1056		1058		1060	
	1μ	1057		1059		1061	

2mm (OAL 20mm) & 3mm (OAL 24mm) PINS

ITEM	DESCRIPTION	QTY
1370	2mm A/O Pin Assortment 8 each in all 6 grit textures plus 3/32" mandrel	49



1371	Coarse 80 Grit	100
1372	Medium 120 Grit	100
1373	Standard 220 Grit	100
1374	Fine 400 Grit	100
1375	Extra-Fine 6 Micron	100
1376	Ultra-Fine 1 Micron	100



ITEM	DESCRIPTION	QTY
1367	2mm Diamond Pin Assortment 2 each in 2 grit textures plus 3/32" mandrel	5



1368	Fine 400 Grit	6
1369	Ultra-Fine 1 Micron	6

1377	3mm Diamond Pin Assortment 2 each in 2 grit textures plus 3/32" mandrel	5
------	--	---

1378	Fine 400 Grit	6
1379	Ultra-Fine 1 Micron	6

1380	3mm A/O Pin Assortment 8 each in all 6 grit textures plus 3/32" mandrel	49
------	--	----



1381	Coarse 80 Grit	100
1382	Medium 120 Grit	100
1383	Standard 220 Grit	100
1384	Fine 400 Grit	100
1385	Extra-Fine 6 Micron	100
1386	Ultra-Fine 1 Micron	100



Truing Block

5400



1" x 1/2" x 1/2"

Ideal for sharpening pins.
Quickly opens structure & restores shape.

1/2" TC SNAP-ONS

ITEM	DESCRIPTION	QTY
1200	1/2" TC Diamond Snap-On Assortment 5 each in 2 grit textures plus RA mandrel	11



1201	Fine 400 Grit	15
1202	Ultra-Fine 1 Micron	15



RA mandrel 5430



1350	1/2" TC Snap-On Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43
------	---	----



1351	Coarse 80 Grit	30
1352	Medium 120 Grit	30
1353	Standard 220 Grit	30
1354	Fine 400 Grit	30
1355	Fine 600 Grit (Pumice)	30
1356	Extra-Fine 6 Micron	30
1357	Ultra-Fine 1 Micron	30



3/32" mandrel 5431







1/16" mandrel 5432

1/2" x 1/2" BANDS

Smooth Edges | Polish IDs



ITEM	DESCRIPTION	QTY
1840	1/2" x 1/2" Band Assortment 1 each in all 8 grit textures plus 3/32" mandrel	9



1841	Ultra-Coarse 36 Grit	12
1842	Extra-Coarse 50 Grit	12
1843	Coarse 80 Grit	12
1844	Medium 120 Grit	12
1845	Standard 220 Grit	12
1846	Fine 400 Grit	12
1847	Extra-Fine 6 Micron	12
1848	Ultra-Fine 1 Micron	12



3/32" mandrel 1835



1/8" mandrel 1836

Durable alternative to arbor bands

— 9/16" TC RADIAL DISCS —

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
3740	9/16" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86
3741	Coarse 80 Grit	12
3742		48
3743	Medium 120 Grit	12
3744		48
3745	Standard 220 Grit	12
3746		48
3747	Fine 400 Grit	12
3748		48
3749	Fine 600 Grit (Pumice)	12
3750		48
3751	Extra-Fine 6 Micron	12
3752		48
3753	Ultra-Fine 1 Micron	12
3754		48



— 5/8" TC RADIAL DISCS —

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
1220	5/8" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86
1221	Coarse 80 Grit	12
1222		48
1223	Medium 120 Grit	12
1224		48
1225	Standard 220 Grit	12
1226		48
1227	Fine 400 Grit	12
1228		48
1229	Fine 600 Grit (Pumice)	12
1230		48
1231	Extra-Fine 6 Micron	12
1232		48
1233	Ultra-Fine 1 Micron	12
1234		48



REMOVE

SMOOTH



SUNBURST®

FINISH

POLISH

Patented Design

5/8" TC KNIFE-EDGE

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
1751	5/8" TC Knife Assortment 8 each in all 7 grit textures plus 3/32" mandrel	57

1752 **Coarse** 121753 **80 Grit** 481754 **Medium** 121755 **120 Grit** 481756 **Standard** 121757 **220 Grit** 481758 **Fine** 121759 **400 Grit** 481760 **Fine** 121761 **600 Grit (Pumice)** 481762 **Extra-Fine** 121763 **6 Micron** 481764 **Ultra-Fine** 121765 **1 Micron** 48

3/4" TC RADIAL DISCS

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
3840	3/4" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86

3841 **Coarse** 123842 **80 Grit** 483843 **Medium** 123844 **120 Grit** 483845 **Standard** 123846 **220 Grit** 483847 **Fine** 123848 **400 Grit** 483849 **Fine** 123850 **600 Grit (Pumice)** 483851 **Extra-Fine** 123852 **6 Micron** 483853 **Ultra-Fine** 123854 **1 Micron** 48

7/8" TC RADIAL DISCS

1/16" (1.6mm) Arbor



7/8" TC 4-PLY MOUNTED

3/32" (2.35mm) Shanks



ITEM	DESCRIPTION	QTY
1240	7/8" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86

1241	Coarse 80 Grit	12
1242		48
1243	Medium 120 Grit	12
1244		48
1245	Standard 220 Grit	12
1246		48
1247	Fine 400 Grit	12
1248		48
1249	Fine 600 Grit (Pumice)	12
1250		48
1251	Extra-Fine 6 Micron	12
1252		48
1253	Ultra-Fine 1 Micron	12
1254		48



ITEM	DESCRIPTION	QTY
1260	7/8" TC 4-Ply Assortment 1 each in all 7 grit textures	7

1261	Coarse 80 Grit	6
1262	Medium 120 Grit	6
1263	Standard 220 Grit	6
1264	Fine 400 Grit	6
1265	Fine 600 Grit (Pumice)	6
1266	Extra-Fine 6 Micron	6
1267	Ultra-Fine 1 Micron	6

REMOVE

SMOOTH



FINISH

POLISH

Patented Design

Patented Design

— 7/8" TC DUAL DISCS —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
1920	7/8" TC Dual Disc Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43
1921	Coarse 80 Grit	12
1922		48
1923	Medium 120 Grit	12
1924		48
1925	Standard 220 Grit	12
1926		48
1927	Fine 400 Grit	12
1928		48
1929	Fine 600 Grit (Pumice)	12
1930		48
1931	Extra-Fine 6 Micron	12
1932		48
1933	Ultra-Fine 1 Micron	12
1934		48

— 7/8" TC KNIFE-EDGE —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
1940	7/8" TC Knife-Edge Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43
1941	Coarse 80 Grit	12
1942		48
1943	Medium 120 Grit	12
1944		48
1945	Standard 220 Grit	12
1946		48
1947	Fine 400 Grit	12
1948		48
1949	Fine 600 Grit (Pumice)	12
1950		48
1951	Extra-Fine 6 Micron	12
1952		48
1953	Ultra-Fine 1 Micron	12
1954		48

1" TC RADIAL DISCS

1/8" (3.18mm) Arbor



ITEM	DESCRIPTION	QTY
1741	1" TC Assortment 8 each in all 8 grit textures plus two 1/8" mandrels	66
1271	Ultra-Coarse 36 Grit	12
1272		48
1273	Extra-Coarse 50 Grit	12
1274		48
1275	Coarse 80 Grit	12
1276		48
1277	Medium 120 Grit	12
1278		48
1279	Standard 220 Grit	12
1280		48
1281	Fine 400 Grit	12
1282		48
1742	Extra-Fine 6 Micron	12
1743		48
1744	Ultra-Fine 1 Micron	12
1745		48

1" TC 4-PLY MOUNTED

1/8" (3.18mm) Shanks



ITEM	DESCRIPTION	QTY
1780	1" TC 4-Ply Assortment 1 each in all 8 grit textures	8
1781	Ultra-Coarse 36 Grit	5
1782	Extra-Coarse 50 Grit	5
1783	Coarse 80 Grit	5
1784	Medium 120 Grit	5
1785	Standard 220 Grit	5
1786	Fine 400 Grit	5
1787	Extra-Fine 6 Micron	5
1788	Ultra-Fine 1 Micron	5

REMOVE

SMOOTH





FINISH

POLISH

1" TS RADIAL DISCS


1/8" (3.18mm) Arbor



ITEM	DESCRIPTION	QTY
2210	1" TS Assortment 8 each in all 8 grit textures plus two 1/8" mandrels	66
2211	Ultra-Coarse 36 Grit	12
2212		48
2213	Extra-Coarse 50 Grit	12
2214		48
2215	Coarse 80 Grit	12
2216		48
2217	Medium 120 Grit	12
2218		48
2219	Standard 220 Grit	12
2220		48
2221	Fine 400 Grit	12
2222		48
2223	Extra-Fine 6 Micron	12
2224		48
2225	Ultra-Fine 1 Micron	12
2226		48

1" TS 6-PLY MOUNTED

1/8" (3.18mm) Shanks



ITEM	DESCRIPTION	QTY
2853	1" TS 6-Ply Assortment 1 each in all 8 grit textures	8
2836	Ultra-Coarse 36 Grit	5
2837	Extra-Coarse 50 Grit	5
2838	Coarse 80 Grit	5
2839	Medium 120 Grit	5
2840	Standard 220 Grit	5
2841	Fine 400 Grit	5
2842	Extra-Fine 6 Micron	5
2843	Ultra-Fine 1 Micron	5

Long-lasting, dust-free, non-woven buff alternative

1", 2" & 3" **E-Z Loc®** BRUSHES



Designed for safer thick coating removal than traditional wire brushes, nylon brushes and surface conditioning discs. Achieve a consistent finish with light pressure without damaging the workpiece.




Quick release standard TR attachment enables fast and easy brush change.



ITEM	DESCRIPTION	DIA	QTY
1860	Ultra-Coarse 36 Grit	1"	10
1861		2"	10
1862		3"	10




ITEM	DESCRIPTION	DIA	QTY
1863	Extra-Coarse 50 Grit	1"	10
1866		2"	10
1869		3"	10



ITEM	DESCRIPTION	DIA	QTY
1864	Coarse 80 Grit	1"	10
1867		2"	10
1870		3"	10



ITEM	DESCRIPTION	DIA	QTY
1865	Medium 120 Grit	1"	10
1868		2"	10
1871		3"	10



ITEM	DESCRIPTION	DIA	QTY
1791	Standard 220 Grit	1"	10
1793		2"	10
1795		3"	10



ITEM	DESCRIPTION	DIA	QTY
1792	Fine 400 Grit	1"	10
1794		2"	10
1796		3"	10

E-Z Loc® brush bristle trim: 1" 5/8"; 2" & 3" 5/8" tapered

REMOVE

SMOOTH



FINISH

POLISH

E-Z Loc® BRUSH ASSORTMENTS



ITEM 1914

1" ASSORTMENT


1" E-Z Loc® brushes in all 6 grit textures
rubber back-up pad
plus 1/4" & 6mm mandrels



ITEM 1915

2" ASSORTMENT

2" E-Z Loc® brushes in all 6 grit textures
rubber back-up pad
plus 1/4" & 6mm mandrels



ITEM 1916

3" ASSORTMENT

3" E-Z Loc® brushes in all 6 grit textures
rubber back-up pad
plus 1/4" & 6mm mandrels

3" TA **E-Z Loc** DISCS

Use with E-Z Loc® accessory 4017




ITEM	DESCRIPTION	QTY
1859	Ultra-Coarse 36 Grit	10



ITEM	DESCRIPTION	QTY
1875	Extra-Coarse 50 Grit	10



ITEM	DESCRIPTION	QTY
1876	Coarse 80 Grit	10







ITEM	DESCRIPTION	QTY
1877	Medium 120 Grit	10



4 1/2" **E-Z Loc** BRUSHES

The preferred choice for removing paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants from large areas quickly with minimal pressure. 5/8" - 11 thread.



ITEM	DESCRIPTION	QTY
1849	Ultra-Coarse 36 Grit	5
1850	Extra-Coarse 50 Grit	5
1851	Coarse 80 Grit	5
1852	Medium 120 Grit	5

REMOVE

SMOOTH



FINISH

POLISH

E-Z Loc® ACCESSORIES

Fast screw on/off for maximum efficiency. No tools required.
E-Z Loc® brushes are compatible with 3M® Roloc® and Norton® Speed Lok® TR attachments.



1" BACK-UP PAD SET

4017

2" BACK-UP PAD SET

4018

3" BACK-UP PAD SET


4019

Sets include 1/4" & 6mm mandrels

GENERAL GUIDELINES FOR E-Z LOC® BRUSHES & TA DISCS


GENERAL GUIDELINES FOR E-Z LOC® BRUSHES & TA DISCS						
	36 (A/O)	50 (A/O)	80 (A/O)	120 (A/O)	220 (A/O) 400 (A/O)	
METAL	IRON		EXCLUSIVE TO SUNBURST			
		STEEL				
		ALUMINUM				
			NON-FERROUS			
TASK	CLEANING & SURFACE CONTAMINANT REMOVAL					
	AGGRESSIVE	HEAVY DUTY	STANDARD	LIGHT DUTY		
	Adhesives • Coatings • Corrosion • Glue • Oxidation • Paint • Rust • Sealant • Stains Varnish • Weld Burns • Weld Discoloration					
		MILL SCALE REMOVAL			A cleaner surface enables better adhesion of subsequent coatings	
		HEAVY DUTY		LIGHT DUTY		
	Aluminum • Steel • Non-Ferrous					
COMMON USE CASES	Welding - Clean and prep surface - Removal of weld burn, splatter and discoloration		Auto Repair/Restoration - Surface conditioning, blend out scratches and defects - Gasket removal - Tire adhesive removal		How do YOU use E-Z Loc? We'd love to see it. Send images, videos or links to: service@dedeco.com	

QUICK CHANGE




Use on right angle grinders, CNC and robotic applications






2" TC 6-PLY DISCS MOUNTED


1/4" (6.35mm) Shanks / 1/4" Thick




ITEM	DESCRIPTION	QTY
2249	Ultra-Coarse 36 Grit	1
2250	Extra-Coarse 50 Grit	1
1807	Coarse 80 Grit	1
1808	Medium 120 Grit	1
1809	Standard 220 Grit	1
1813	Fine 400 Grit	1
1811	Extra-Fine 6 Micron	1
1812	Ultra-Fine 1 Micron	1




2" TC RADIAL DISCS



ITEM	DESCRIPTION	ARBOR	QTY
2360	2" TC 6-Ply Assortment 1 each in all 8 grit textures	1/4"	8
2245	Ultra-Coarse 36 Grit	1/4"	1
2246	Extra-Coarse 50 Grit	1/4"	1
1311	Coarse 80 Grit	1/4"	1
1312	Medium 120 Grit	1/4"	1
1313	Standard 220 Grit	1/4"	1
1314	Fine 400 Grit	1/4"	1
1315	Extra-Fine 6 Micron	1/4"	1
1316	Ultra-Fine 1 Micron	1/4"	1




2350	2" TC 3-Ply Assortment 1 each in all 8 grit textures	1/4"	8
2243	Ultra-Coarse 36 Grit	1/4"	1
2244	Extra-Coarse 50 Grit	1/4"	1
1301	Coarse 80 Grit	1/4"	1
1302	Medium 120 Grit	1/4"	1
1303	Standard 220 Grit	1/4"	1
1304	Fine 400 Grit	1/4"	1
1305	Extra-Fine 6 Micron	1/4"	1
1306	Ultra-Fine 1 Micron	1/4"	1



Individual Discs / Self Assembly

2241	Ultra-Coarse 36 Grit	3/8"	12
2242	Extra-Coarse 50 Grit	3/8"	12
1291	Coarse 80 Grit	3/8"	12
1292	Medium 120 Grit	3/8"	12
1293	Standard 220 Grit	3/8"	12
1294	Fine 400 Grit	3/8"	12
1295	Extra-Fine 6 Micron	3/8"	12
1296	Ultra-Fine 1 Micron	3/8"	12



3" TC 6-PLY DISCS MOUNTED

1/4" (6.35mm) Shanks / 1/4" Thick



ITEM	DESCRIPTION	QTY
2259	Ultra-Coarse 36 Grit	1
2260	Extra-Coarse 50 Grit	1
1829	Coarse 80 Grit	1
1830	Medium 120 Grit	1
1831	Standard 220 Grit	1
1832	Fine 400 Grit	1
1833	Extra-Fine 6 Micron	1
1834	Ultra-Fine 1 Micron	1

ACCESSORIES FOR 2", 3" & 4"




ITEM	DESC	SHANK	PIN	QTY
0264	Disc Mandrels	1/4"	1/4"	1
0265		6mm	6mm	1
1366		1/4"	3/8"	1
1349		6mm	3/8"	1



ITEM	DESC	ARBOR	QTY
1361	Radial Disc Spindle Adapter (Left)	3/8"	1
1362	Radial Disc Spindle Adapter (Right)	3/8"	1



3" TC RADIAL DISCS



ITEM	DESCRIPTION	ARBOR	QTY
2380	3" TC 6-Ply Assortment 1 each in all 8 grit textures	1/4"	8

2255	Ultra-Coarse 36 Grit	1/4"	1
2256	Extra-Coarse 50 Grit	1/4"	1
1341	Coarse 80 Grit	1/4"	1
1342	Medium 120 Grit	1/4"	1
1343	Standard 220 Grit	1/4"	1
1344	Fine 400 Grit	1/4"	1
1345	Extra-Fine 6 Micron	1/4"	1
1346	Ultra-Fine 1 Micron	1/4"	1

2370	3" TC 3-Ply Assortment 1 each in all 8 grit textures	1/4"	8
------	--	------	---

2253	Ultra-Coarse 36 Grit	1/4"	1
2254	Extra-Coarse 50 Grit	1/4"	1
1331	Coarse 80 Grit	1/4"	1
1332	Medium 120 Grit	1/4"	1
1333	Standard 220 Grit	1/4"	1
1334	Fine 400 Grit	1/4"	1
1335	Extra-Fine 6 Micron	1/4"	1
1336	Ultra-Fine 1 Micron	1/4"	1

Individual Discs / Self Assembly

2251	Ultra-Coarse 36 Grit	3/8"	12
2252	Extra-Coarse 50 Grit	3/8"	12
1321	Coarse 80 Grit	3/8"	12
1322	Medium 120 Grit	3/8"	12
1323	Standard 220 Grit	3/8"	12
1324	Fine 400 Grit	3/8"	12
1325	Extra-Fine 6 Micron	3/8"	12
1326	Ultra-Fine 1 Micron	3/8"	12

3" TS 6-PLY RADIAL DISCS

1/4" (6.35mm) Arbor / 1/4" Thick



ITEM	DESCRIPTION	QTY
2421	Ultra-Coarse 36 Grit	1



ITEM	DESCRIPTION	QTY
2422	Extra-Coarse 50 Grit	1



ITEM	DESCRIPTION	QTY
2423	Coarse 80 Grit	1




ITEM	DESCRIPTION	QTY
2424	Medium 120 Grit	1

3" TS RADIAL DISCS


3/8" (9.5mm) Arbor




ITEM	DESCRIPTION	QTY
2425	Ultra-Coarse 36 Grit	12
2461		50



ITEM	DESCRIPTION	QTY
2426	Extra-Coarse 50 Grit	12
2462		50




ITEM	DESCRIPTION	QTY
2427	Coarse 80 Grit	12
2462		50




ITEM	DESCRIPTION	QTY
2428	Medium 120 Grit	12
2464		50

3" TA RADIAL DISCS


3/8" (9.5mm) Arbor




ITEM	DESCRIPTION	QTY
1858	Ultra-Coarse 36 Grit	10



ITEM	DESCRIPTION	QTY
1872	Extra-Coarse 50 Grit	10




ITEM	DESCRIPTION	QTY
1873	Coarse 80 Grit	10




ITEM	DESCRIPTION	QTY
1874	Medium 120 Grit	10

4" TA RADIAL DISCS


3/8" (9.5mm) Arbor




ITEM	DESCRIPTION	QTY
2455	Ultra-Coarse 36 Grit	12



ITEM	DESCRIPTION	QTY
2456	Extra-Coarse 50 Grit	12



ITEM	DESCRIPTION	QTY
2457	Coarse 80 Grit	12



ITEM	DESCRIPTION	QTY
2458	Medium 120 Grit	12

4" x 1/2" TA RADIAL DISCS

1/4" (6.35mm) Arbor



ITEM	DESCRIPTION	QTY
2451	Ultra-Coarse 36 Grit	1



ITEM	DESCRIPTION	QTY
2452	Extra-Coarse 50 Grit	1




ITEM	DESCRIPTION	QTY
2453	Coarse 80 Grit	1



ITEM	DESCRIPTION	QTY
2454	Medium 120 Grit	1

4" x 1/2" TC RADIAL DISCS


1/4" (6.35mm) Arbor



ITEM	DESCRIPTION	QTY
2271	Ultra-Coarse 36 Grit	1
2272	Extra-Coarse 50 Grit	1
2273	Coarse 80 Grit	1
2274	Medium 120 Grit	1
2275	Standard 220 Grit	1
2276	Fine 400 Grit	1
2277	Extra-Fine 6 Micron	1
2278	Ultra-Fine 1 Micron	1

4" TC RADIAL DISCS




3/8" (9.5mm) Arbor



ITEM	DESCRIPTION	QTY
2261	Ultra-Coarse 36 Grit	12
2262	Extra-Coarse 50 Grit	12
2263	Coarse 80 Grit	12
2264	Medium 120 Grit	12
2265	Standard 220 Grit	12
2266	Fine 400 Grit	12
2267	Extra-Fine 6 Micron	12
2268	Ultra-Fine 1 Micron	12

4" x 4" TC BRUSHES

5/8" - 11 thread.



ITEM	DESCRIPTION	QTY
2391	Ultra-Coarse 36 Grit	1
2392	Extra-Coarse 50 Grit	1
2393	Coarse 80 Grit	1
2394	Medium 120 Grit	1
2395	Standard 220 Grit	1
2396	Fine 400 Grit	1
2397	Extra-Fine 6 Micron	1
2398	Ultra-Fine 1 Micron	1

4" x 1/2" TS RADIAL DISCS

1/4" (6.35mm) Arbor



ITEM	DESCRIPTION	QTY
2431	Ultra-Coarse 36 Grit	1



ITEM	DESCRIPTION	QTY
2432	Extra-Coarse 50 Grit	1




ITEM	DESCRIPTION	QTY
2433	Coarse 80 Grit	1




ITEM	DESCRIPTION	QTY
2434	Medium 120 Grit	1

4" TS RADIAL DISCS


3/8" (9.5mm) Arbor




ITEM	DESCRIPTION	QTY
2435	Ultra-Coarse 36 Grit	12
2471		50



ITEM	DESCRIPTION	QTY
2436	Extra-Coarse 50 Grit	12
2472		50



ITEM	DESCRIPTION	QTY
2437	Coarse 80 Grit	12
2473		50



ITEM	DESCRIPTION	QTY
2438	Medium 120 Grit	12
2474		50

REMOVE

SMOOTH





FINISH


POLISH

6" x 1/2" TC RADIAL DISCS

Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"





ITEM	DESCRIPTION	QTY
2281	Ultra-Coarse 36 Grit	1
2282	Extra-Coarse 50 Grit	1
1878	Coarse 80 Grit	1
1879	Medium 120 Grit	1
1880	Standard 220 Grit	1
1881	Fine 400 Grit	1
1882	Extra-Fine 6 Micron	1
1883	Ultra-Fine 1 Micron	1



6" TC RADIAL DISCS

2" (50.8mm) Arbor



ITEM	DESCRIPTION	QTY
2283	Ultra-Coarse 36 Grit	40
2284	Extra-Coarse 50 Grit	40
1884	Coarse 80 Grit	40
1885	Medium 120 Grit	40
1886	Standard 220 Grit	40
1887	Fine 400 Grit	40
1888	Extra-Fine 6 Micron	40
1889	Ultra-Fine 1 Micron	40

Use with flange & telescope adapter 1991

6" x 1/2" TS RADIAL DISCS

Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
2441	Ultra-Coarse 36 Grit	1



ITEM	DESCRIPTION	QTY
2442	Extra-Coarse 50 Grit	1




ITEM	DESCRIPTION	QTY
2443	Coarse 80 Grit	1




ITEM	DESCRIPTION	QTY
2444	Medium 120 Grit	1

6" TS RADIAL DISCS


2" (50.8mm) Arbor




ITEM	DESCRIPTION	QTY
2445	Ultra-Coarse 36 Grit	40



ITEM	DESCRIPTION	QTY
2446	Extra-Coarse 50 Grit	40



ITEM	DESCRIPTION	QTY
2447	Coarse 80 Grit	40



ITEM	DESCRIPTION	QTY
2448	Medium 120 Grit	40

6" x 1/2" TA RADIAL DISCS


Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
1890	Ultra-Coarse 36 Grit	1
1891	Extra-Coarse 50 Grit	1
1892	Coarse 80 Grit	1

6" TA RADIAL DISCS

2" (50.8mm) Arbor



ITEM	DESCRIPTION	QTY
1893	Ultra-Coarse 36 Grit	40
1894	Extra-Coarse 50 Grit	40
1895	Coarse 80 Grit	40

Use with flange & telescope adapter 1991

ACCESSORIES FOR 6", 7 5/8" & 8"



ITEM	DESCRIPTION	QTY
1991	6" Flange & Telescope Adapter	1
1992	7 5/8" and 8" Flange & Telescope Adapter	1
1837	Tapered Spindle Hub for Discs with 1" Arbor	1

BENCH MOTOR DEBURRING OF 6"-8" WHEELS


Aluminum
extrusions; metal
tubing; sheared
panels medical
instruments,
builders hardware;
piston rings;
threaded parts

COMFORMABLE BRISTLES

Easily deburr
contoured and
detailed parts

BALANCED


Discs remain
balanced and do
not require dressing



Bench Grinder

7⁵/₈" x 1" TC RADIAL DISCS


Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
1896	Coarse 80 Grit	1
1897	Medium 120 Grit	1
1898	Standard 220 Grit	1
1899	Fine 400 Grit	1

7⁵/₈" TC RADIAL DISCS


3.5" (89mm) Arbor



ITEM	DESCRIPTION	QTY
1900	Coarse 80 Grit	70
1901	Medium 120 Grit	70
1902	Standard 220 Grit	70
1903	Fine 400 Grit	70


Use with flange & telescope adapter 1992

Expands to 8" when running at recommended RPM



8" x 1" TS RADIAL DISCS



Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
1918	Ultra-Coarse 36 Grit	1
1904	Extra-Coarse 50 Grit	1
1905	Coarse 80 Grit	1
1906	Medium 120 Grit	1
1910	Standard 220 Grit	1
1911	Fine 400 Grit	1

8" TS RADIAL DISCS

3.5" (89mm) Arbor




ITEM	DESCRIPTION	QTY
1919	Ultra-Coarse 36 Grit	70
1907	Extra-Coarse 50 Grit	70
1908	Coarse 80 Grit	70
1909	Medium 120 Grit	70
1912	Standard 220 Grit	70
1913	Fine 400 Grit	70

Use with flange & telescope adapter 1992

10" x 1" TS RADIAL DISCS


2" (50.8mm) Arbor



ITEM	DESCRIPTION	QTY
1392	Ultra-Coarse 36 Grit	1
1393	Extra-Coarse 50 Grit	1
1394	Coarse 80 Grit	1
1395	Medium 120 Grit	1

10" TS RADIAL DISCS

4.625" (117.5mm) Arbor



ITEM	DESCRIPTION	QTY
1396	Ultra-Coarse 36 Grit	70
1397	Extra-Coarse 50 Grit	70
1398	Coarse 80 Grit	70
1399	Medium 120 Grit	70


ACCESSORIES FOR 10" & 12"



ITEM	DESCRIPTION	QTY
1995	10" Flange & Adapter Set	1
1996	12" Flange & Adapter Set	1

12" x 2" TS RADIAL DISCS


2" (50.8mm) Arbor



ITEM	DESCRIPTION	QTY
1972	Ultra-Coarse 36 Grit	1
1973	Extra-Coarse 50 Grit	1
1974	Coarse 80 Grit	1
1975	Medium 120 Grit	1

12" TS RADIAL DISCS

4.625" (117.5mm) Arbor



ITEM	DESCRIPTION	QTY
1976	Ultra-Coarse 36 Grit	70
1977	Extra-Coarse 50 Grit	70
1978	Coarse 80 Grit	70
1979	Medium 120 Grit	70



24"-49" Industrial brush sander

Industrial Machines

Compatible with industrial brush sanding and metal deburring machines



Robotic Deburring, Finishing & Polishing

Quality, Consistency and Output

SILICON CARBIDE DISCS

In response to popular demand, SUNBURST® offerings now include silicon carbide grit models – preferred for numerous precision medical, dental, jewelry and aerospace applications. Sterilizable & autoclavable.

ITEM 1797

ALL-IN-ONE SILICON CARBIDE ASSORTMENT 78pc

This comprehensive set includes:
4 each 5/8" & 7/8" Knife-Edge Discs,
7/8" Radial Discs, 7/8" Dual Discs and
12 Points in all shapes and grit textures
plus two 3/32" mandrels.



7/8" TC 4-PLY MOUNTED

3/32" (2.35mm) Shanks



ITEM	DESCRIPTION	QTY
1770	7/8" TC 4-Ply Assortment 1 each in all 4 grit textures	4
1771	Coarse 90 Grit	6
1772	Medium 240 Grit	6
1773	Fine 400 Grit	6
1774	Extra-Fine 1000 Grit	6



REMOVE

SMOOTH



FINISH

POLISH

Patented Design

— 5/8" TC KNIFE-EDGE —


1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
7141	Coarse 90 Grit	12
7142		48
7191	Medium 240 Grit	12
7192		48
7241	Fine 400 Grit	12
7242		48
7291	Extra-Fine 1000 Grit	12
7292		48

— 7/8" TC RADIAL DISCS —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
7143	Coarse 90 Grit	12
7144		48
7193	Medium 240 Grit	12
7194		48
7243	Fine 400 Grit	12
7244		48
7293	Extra-Fine 1000 Grit	12
7294		48

Patented Design

— 7/8" TC KNIFE-EDGE —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
7147	Coarse 90 Grit	12
7148		48
7197	Medium 240 Grit	12
7198		48
7247	Fine 400 Grit	12
7248		48
7297	Extra-Fine 1000 Grit	12
7298		48

— 7/8" TC DUAL DISCS —

1/16" (1.6mm) Arbor




ITEM	DESCRIPTION	QTY
7145	Coarse 90 Grit	12
7146		48
7195	Medium 240 Grit	12
7196		48
7245	Fine 400 Grit	12
7246		48
7295	Extra-Fine 1000 Grit	12
7296		48

Heat-resistant and durable alternative to silicone polishers



SILICON CARBIDE POINTS

3/32" (2.35mm) Shanks | OAL 1 3/4"



ITEM 2320

SILICON CARBIDE POINT ASSORTMENT 12pc

3 each in all 4 grit textures
each grit texture in shapes
12, 14 & 15

	 SHAPE 12		 SHAPE 14		 SHAPE 15	
Size	12/box	72/box	12/box	72/box	12/box	72/box
90	2321	2322	2329	2330	2337	2338
240	2323	2324	2331	2332	2339	2340
400	2325	2326	2333	2334	2341	2342
1000	2327	2328	2335	2336	2343	2344

CUSTOM PRODUCTION

Dedeco's policy has always been to customize abrasive products to satisfy customer needs not addressed by our standard range.

We are proud to extend this policy to include our versatile SUNBURST range.

Let us know how we can help.



REMOVE

SMOOTH



FINISH

POLISH

DIAMOND POINTS

SUNBURST® diamond-filled points are the preferred choice for maximum durability and superior results. Suitable for use on virtually all materials. Outstanding performance at all speeds. Minimal pressure required.

ITEM 1055	POINTS 3/32" (2.35MM) SHANKS OAL 1 3/4"						POINTS 1/16" (FG)
DIAMOND POINT ASSORTMENT 6pc 3 each in 2 grit textures each grit texture in shapes 12, 14 & 15.	1/unit						3/box
							
	Shape 12	Shape 14	Shape 15	Shape 12	Shape 14	Shape 15	Shape 138
	Fine			Ultra-Fine			Fine Ultra-Fine
	1056	1058	1060	1057	1059	1061	1192 1195

DIAMOND 1/2" SNAP-ONS FOR DENTAL COMPOSITE



SUNBURST® 2-Step diamond-filled polishing system enables you to quickly and easily create natural-looking diamond paste-like hi-gloss restorations without messy paste. Designed for dental composites. Also ideal for precious and semi-precious metals. Sterilizable & autoclavable.



ITEM 1200

COMPOSITE ADJUSTMENT KIT

11pc

5 each
in 2 grit textures
plus RA mandrel

*5092-IM

1/2" TC SNAP-ONS

15/box



Pre-Polishing - Diamond-filled discs for removing scratches and smoothing composites & glass ionomers. Leaves polished surface.

Fine 400 Grit

1201

*5090



Hi-Gloss - Diamond-filled discs for paste-like hi-gloss polishing of composites & glass ionomers. Equally suited for polishing gold.

Ultra-Fine 1 Micron

1202

*5091

Recommended RPM 15,000-20,000

*Compare to 3M® Sof-Lex®

Fine = 400 Grit

Ultra-Fine = 1μ (≈ 14,000 Grit)

Classic Rubber Polishers

Packed 100 per box




Extra long-lasting For fastest finishing and polishing of non-precious & semi-precious metals. Uniquely capable of finishing or polishing depending upon the pressure used.

Hard For finishing & polishing chrome cobalt and hard metals.
Coarse For fast scratch removal & polishing of metals.

Hi-glaze For polishing non-precious, semi-precious and chrome cobalt metals.

Fine (Red Flexies) For polishing gold.

Ultra-fine (White Flexies) For polishing gold.

Square-Edge		Knife-Edge		Cylinder
5/8" x 1/16" (15 · 1.6mm)	7/8" x 1/8" (22 · 3.1mm)	5/8" (15.8mm)	7/8" (22.2 mm)	15/16" x 1/4" (24 · 6.3mm)
 5030	 5010	 4982	 4983	 4595
 5020	 5000	 4941	 4940	 4590
 5021	 5001	 4951	 4950	 4592
 5024	 5004	 4961	 4960	 4593
 5027	 5007	 4971	 4970	 4594
 5029	 5009	 4981	 4980	 —

Classic Rubber Polishers

Small Wheel & Point Kit 126 pc



Ideal assortment for finishing and polishing metals and plastic, this 126-piece kit contains Dedeco's most popular rubber polishers - square-edge wheels, knife-edge wheels and cylinders. Includes mandrels.

0015

"Lab Favorites" Assortment 139 pc



This 139-piece kit contains Dedeco's most popular laboratory abrasives, including mounted stones, grinding wheels, separating and fibre-cut discs, cutting-off wheels, rubber wheels and clasp polishers for finishing, polishing and texturing all materials.

1010

More Classic Favorites Packed 100 per box


Green - Fine
"All purpose"
metal polishing.



7/8" x 1/8"
(22 · 3.1mm)

5003

Red Flexies - Medium
For scratch removal and
polishing of gold.



7/8" x 1/8"
(22 · 3.1mm)

5005

Green - Medium
For fast finishing of all metals.



5/8" x 1/16"
(15 · 1.6mm)

5026



7/8" x 1/8"
(22 · 3.1mm)

5006

Red - Hard
For finishing and polishing
chrome cobalt metals.






15/16" x 1/4"
(24 · 6.3mm)

7027



7/8" x 1/8"
(22 · 3.1mm)

7030



Classic Point Polishers

Extra long-lasting For fastest finishing and polishing of non-precious & semi-precious metals. Uniquely capable of finishing or polishing depending upon the pressure used.


Hard For finishing & polishing chrome cobalt and hard metals.

Coarse For fast scratch removal & polishing of metals.

Hi-glaze For polishing non-precious, semi-precious and chrome cobalt metals.

Fine (Red Flexies) For polishing gold.

Ultra-fine (White Flexies) For polishing gold.

HP				RA			FG		
3/32" (2.35mm) shanks				3/32" (2.35mm) shanks			1/16" (1.6mm) shanks		
Barrel	14	15	138	15	138	Mini	15	138	Mini
									
12/box 72/box	12/box 72/box	12/box 72/box	12/box 72/box	12/box	12/box	12/box	12/box	12/box	12/box
4860 4866	4861 4867	4862 4868	4863 4869	4872	4873	4870	4882	4883	4880
									
4360 4336	4361 4345	4362 4368	4363 4369	4372	4373	4370	4382	4383	4380
									
4560 4566	4561 4567	4562 4568	4563 4569	4572	4573	4570	4582	4583	4580
									
4660 4666	4661 4667	4662 4668	4663 4669	4672	4673	4670	4682	4683	4680
									
4364 4359	4365 4350	4366 4353	4367 4356	4376	4377	4374	4386	4387	4384
									
4760 4766	4761 4767	4762 4768	4763 4769	4772	4773	4770	4782	4783	4780

Classic Jumbo Point Polishers

Packed 5 per box

Available on 3/32" (2.35mm) & 1/8" (3.18mm) shanks

A		B		C		D		E	
3/32"	1/8"	3/32"	1/8"	3/32"	1/8"	3/32"	1/8"	3/32"	1/8"
									
5251	5451	5252	5452	5253	5453	5254	5454	5255	5455
									
5261	5461	5262	5462	5263	5463	5264	5464	5265	5465
									
5271	5471	5272	5472	5273	5473	5274	5474	5275	5475
									
5241	5441	5242	5442	5243	5443	5244	5444	5245	5445
									
5281	5481	5282	5482	5283	5483	5284	5484	5285	5485
									
5291	5491	5292	5492	5293	5493	5294	5494	5295	5495

Industrial Rubberized Abrasives*

In response to popular demand Dedeco's long-lasting rubberized abrasives are now available in industrial-sized points, cones and wheels for deburring, smoothing, cleaning & polishing all metals.

POINTS	Length	Diameter	Arbor	XC	C	M	F	XF
Packed 100 per box 	1"	9/32"	1/16"	0046	0047	0048	0049	0050
	1"	3/8"	1/8"	0051	0052	0053	0054	0055
	1"	1/2"	1/8"	0056	0057	0058	0059	0060

Use with spiral mandrels 5427 (3/32" shank) and 5429 (1/8" shank) for 1/16" hole. Use with spiral mandrel 0063 (1/8" shank) for 1/8" hole.

CONES Tapered	Length	Diameter	XC	C	M	F	XF
Packed 1 per unit 	1"	3/4" - 1/4"	0071	0072	0073	0074	0075
	1"	7/8" - 1/4"	0076	0077	0078	0079	0080
	1-1/2"	1" - 1/4"	0081	0082	0083	0084	0085

Use with cone mandrel 0126 (1/4" shank).

CONES Cylinder	Length	Diameter	XC	C	M	F	XF
Packed 1 per unit 	1"	3/4"	0091	0092	0093	0094	0095
	1"	7/8"	0096	0097	0098	0099	0100
	1-1/2"	1"	0101	0102	0103	0104	0105

Use with cone mandrel 0126 (1/4" shank).

CONES Bullet	Length	Diameter	XC	C	M	F	XF
Packed 1 per unit 	1"	3/4"	0111	0112	0113	0114	0115
	1"	7/8"	0116	0117	0118	0119	0120
	1-1/2"	1"	0121	0122	0123	0124	0125

Use with cone mandrel 0126 (1/4" shank).

*Compare to Cratex®

Industrial Rubberized Abrasives*

 **Extra Coarse**
46 Grit
aluminum oxide

 **Coarse**
80 Grit
silicon carbide

 **Medium**
120 Grit
silicon carbide

 **Fine**
180 Grit
silicon carbide

 **Extra Fine**
220 Grit
silicon carbide

								
3" WHEELS	Diameter	Thickness	Arbor	XC	C	M	F	XF
Packed 1 per unit 	3"	1/8"	1/4"	0131	0132	0133	0134	0135
	3"	1/4"	1/4"	0136	0137	0138	0139	0140
	3"	1/2"	1/4"	0141	0142	0143	0144	0145

Use with wheel mandrel 0264 (1/4" shank).

								
4" WHEELS	Diameter	Thickness	Arbor	XC	C	M	F	XF
Packed 1 per unit 	4"	1/4"	1/2"	0146	0147	0148	0149	0150
	4"	1/2"	1/2"	0151	0152	0153	0154	0155
	4"	3/4"	1/2"	0156	0157	0158	0159	0160

								
6" WHEELS	Diameter	Thickness	Arbor	XC	C	M	F	XF
Packed 1 per unit 	6"	1/4"	1/2"	0161	0162	0163	0164	0165
	6"	1/2"	1/2"	0166	0167	0168	0169	0170
	6"	3/4"	1/2"	0171	0172	0173	0174	0175
	6"	1"	1/2"	0176	0177	0178	0179	0180

*Compare to Cratex®

"Hi-glaze" Diamond-Filled Silicone Polishers

3-step diamond-filled silicone rubber system for adjusting, smoothing and brilliant "hi-glaze" polishing of porcelain, zirconium & e.max. Eliminates the need for polishing paste or reglazing. Preferred choice for adjusting and polishing metals. "Long-lasting"

Available on 3/32" (2.35mm) & 1/8" (3.18mm) shanks

 **COARSE - 90 Grit**
Reducing & Trimming

 **MEDIUM - 240 Grit**
Smoothing & Polishing


 **FINE - 1000 Grit**
Mirror Finish

HP 3/32" (2.35mm) shanks						RA				FG
Packed 1 per unit						Packed 3 per box				Packed 3 per box
										
1" Wheel 1101	1" Knife-Edge 1102	11/16" Wheel 1112	Point 1103	Knife 1104	Wheel 1105	Point 1106	Mini 1107	Cup 1108	Knife 1109	Mini 1110
										
1121	1122	1132	1123	1124	1125	1126	1127	1128	1129	1130
										
1141	1142	1152	1143	1144	1145	1146	1147	1148	1149	1150

1" Wheel 1/8" shanks			1" Knife-Edge 1/8" shanks			11/16" Wheel 1/8" shanks		
Packed 1 per unit								
								
1114	1134	1154	1115	1135	1155	1116	1136	1156

"Hi-glaze" Assortments

1" Knife-Edge Sets 3 pc




Contains: 1102, 1122, 1142

1177 3/32" shanks

Contains: 1115, 1135, 1155

1100 1/8" shanks

1" Wheel Sets 3 pc




Contains: 1101, 1121, 1141

1180 3/32" shanks

Contains: 1114, 1134, 1154

1140 1/8" shanks

11/16" Wheel Sets 3 pc



Contains: 1112, 1132, 1152

1176 3/32" shanks

Contains: 1116, 1136, 1156

1120 1/8" shanks

Point Set 6 pc



Contains: 1103, 1105, 1123, 1125, 1143, 1145

1181 3/32" shanks

RA Chair-side Set 9 pc



Contains: 1107, 1108, 1109, 1127, 1128, 1129, 1147, 1148, 1149

1183

CAD/CAM Chair-side Restoration Set 11 pc



Contains: 1107, 1108, 1109, 1127, 1128, 1129, 1147, 1148, 1149, 2411, 2412

1184

“Universal” Silicone Polishers



Universal Silicone Polishing Kit 75 pc

Ideal assortment for finishing and polishing all metals.
Kit contains a working variety of Dedeco's most popular square-edge wheels, knife-edge wheels and cylinders.

7400

Now also available as SUNBURST Silicon Carbide Discs (pages 43 & 44)

Coarse 90 Grit (S/C) For adjusting & removing scratches. **Medium 240 Grit (S/C)** For smoothing. **Fine 400 Grit (S/C)** For high-lustre polishing. **Extra-fine 1000 Grit (S/C)** For super high-lustre polishing.

Square-Edge	Knife-Edge	Cylinders		Points					
7/8" x 1/8" (22 · 3.1 mm)	7/8" (22.2 mm)	15/16" x 1/4" (24 · 6.3 mm)	15/16" x 1/2" (24 · 12.7 mm)	3/32" (2.35 mm) shanks					
				12	14	15			
12/box 100/box	12/box 100/box	12/box 100/box	12/box 100/box	12/box 72/box	12/box 72/box	12/box 72/box			
7103 7104	7109 7110	7113 7114	7123 7124	7131 7132	7133 7134	7135 7136			
7153 7154	7159 7160	7163 7164	7173 7174	7181 7182	7183 7184	7185 7186			
7203 7204	7209 7210	7213 7214	7223 7224	7231 7232	7233 7234	7235 7236			
7253 7254	7259 7260	7263 7264	7273 7274	7281 7282	7283 7284	7285 7286			

Silicone Polishers for Acrylics

Packed 5 per box

Silicon Carbide

- Coarse** For reducing.
- Medium** For smoothing.
- Fine** For high polishing.

Silicon Dioxide

- Coarse** For faster trimming.
- Medium** For faster smoothing.

A	D	E	F
3/32" (2.35mm) shanks			
 7701	 7704	 7705	 7706
 7711	 7714	 7715	 7716
 7721	 7724	 7725	 7726
 7731	 7734	 7735	 7736
 7741	 7744	 7745	 7746

Acrylic Adjustment & Polishing Kit 8 pc

For fast chair-side trimming, adjusting and polishing of acrylics. Restores glaze-like lustre.

Contains: 7705, 7706, 7715, 7716, 7725, 7726, 9353, 9372

7750






Silicone Polishers for Porcelain

“Soft & flexible” for high-lustre polishing of porcelain. (silicon carbide)



 **Coarse** Ideal for reducing and smoothing.

 **Medium** Preferred choice for satin finish.

 **Extra-fine** For instant high-lustre touch-up polishing.

HP			Square-Edge	Knife-Edge	Cylinder
3/32" (2.35mm) shanks			7/8" x 1/8" (22 x 3.1mm)	7/8" (22.2 mm)	15/16" x 1/4" (24 x 6.3mm)
12	15	138			
12/box 72/box	12/box 72/box	12/box 72/box	12/box 100/box	12/box 100/box	12/box 100/box
7531 7532	7533 7534	7535 7536	7503 7504	7509 7510	7511 7512
					
7581 7582	7583 7584	7585 7586	7553 7554	7559 7560	7561 7562
					
7631 7632	7633 7634	7635 7636	7603 7604	7609 7610	7611 7612

More Silicone Favorites



 Miracle Gold The “absolute best” silicone polishers for final polishing of gold. Eliminates the need for polishing paste.			
	12/box 100/box 6561 6562	12/box 100/box 6563 6564	12/box 100/box 6567 6568
 Ultra-soft Flexible silicone polishers for smoothing & polishing gold and all metals.			
	7901 7902	7903 7904	7905 7906

NANO-TECHNOLOGY - IDEAL PERFORMANCE


THE DENTAL INDUSTRY'S LONGEST-LASTING MILLING BURS

While diamond has long been the dental industry's abrasive of choice due to its exceptional strength and durability chemical vapor deposition (CVD) diamond technology, originally developed for the semiconductor industry, is now the state-of-the-art for applications where plated diamonds have reached their limit. This technology allows us to deposit and grow uniform diamond coatings directly on the carbide burs resulting in dramatically extended tool life.

The science and nanotechnology used in manufacturing this performance-enhanced range is unparalleled. Dedeco's CVD-Diamond Milling Burs are the dental industry's longest-lasting.



UNIQUE DIAMOND BONDING TECHNOLOGY EXTENDS TOOL LIFE



X20 X1000 X4000
MICROSTRUCTURE IMAGES

Revolutionary ★ Titanium Nitride Coating

Guaranteed minimum of 3 times extended tool life. Faster, smoother & cooler finishing of all materials

Carbide Bur Goldies® – a combination of top quality tungsten carbide burs to which is applied a unique permanent .0001" gold-colored titanium nitride coating – are the latest in abrasive technology.


As a result of the titanium nitride coating process both the "durability" and "performance" of the burs are vastly enhanced. Specifically, the coating hardens the carbide surface permitting the cutting edges to remain "sharper" for a longer period of time. During operation the coating also acts as a continuous lubricant enabling the "sharper" burs to provide a smoother finish at higher operating speeds.

Frequently, with uncoated tools, chips will adhere to the tool itself. When this happens, the chips are eventually pushed back into the workpiece and a ragged surface finish is the result. Chips formed by titanium nitride coated cutters have less tendency to adhere to the tool. The smooth cutting action and easy chip flow both contribute to improved surface finishing.

Any procedure that is presently being done successfully with uncoated carbide burs can now be worked far more successfully with Carbide Bur Goldies®.


Composite Trimming & Finishing - FG Packed 1 per unit

12-fluted for fast, smooth, trimming and finishing of composite; also suited for porcelain, acrylic and amalgam.




Metal Cutting & Finishing - FG Packed 1 per unit

For fast cutting and finishing of amalgam, gold and non-precious metals.



Lathe Burs Packed 1 per unit



3/32" (2.35mm) shanks

Diamond-Cut

For "fine" adjustment of acrylic, composite and porcelain. Ideal for final trimming and finishing in "hard to reach" areas.

						6 Piece Diamond-Cut Assortment
D-2	D-4	D-5	D-6	D-7	D-8	Kit
8301	8302	8303	8304	8305	8306	8300

Coarse-Cut

"Fastest" for reducing acrylic and all metals, including non-precious and chrome cobalt.

						6 Piece Coarse-Cut Assortment
84-T/XC	82-T/XC	63-B/XC	53-A/XC	52-D/XC	52-C/XC	Kit
8201	8202	8203	8204	8205	8206	8200

Fine-Cut

For "chairside" adjustment of acrylic and metals - leaves a smooth surface finish.

						6 Piece Fine-Cut Assortment
84-T/XF	82-T/XF	63-B/XF	53-A/XF	52-D/XF	52-C/XF	Kit
8101	8102	8103	8104	8105	8106	8100

Regular-Cut

"Standard" for adjusting acrylic and metals.

						6 Piece Regular-Cut Assortment
84-T	82-T	63-B	53-A	52-D	52-C	Kit
8001	8002	8003	8004	8005	8006	8000

										
51-A	61-A/81-A	73-C	88-A	83-E	41-P	44-C	31-P	32-P	33-C	71-G
8012	8013	8014	8015	8016	8051	8052	8061	8062	8063	8064

Special-Cut

For "clog-free" bulk reduction of acrylic, plaster and stone.

	
84-T/SP	88-A/SP
8091	8092

47 Series

Internationally popular shape. Available in both fine and coarse cuts.

	
47-XF	47-XC
8010	8011

Long-lasting ★ Titanium Nitride Coating


★ Popular blade configurations ★ Precision machined & balanced ★ Color-coded to ISO standards

Regular Cross Cut: [E]

Cross cut toothing design is ideal for rapid cutting of metal, acrylic and stone.

3/32" (2.35mm) shanks


									
G071E 023	G071E 027	G071E 040	G071E 050	G072E 060	G077E 029	G077E 060	G078E 040	G079E 031	G079E 040
8310	8311	8351	8312	8313	8352	8353	8354	8355	8314

										
G079E 045	G079E 060	G137E 023	G138E 016	G251E 060L	G257E 023	G257RE 060	G261E 023	G295E 023	G351E 040	G351E 060
8356	8357	8315	8358	8359	8360	8361	8362	8363	8364	8316

Fine Cross Cut: [EF]

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.

3/32" (2.35mm) shanks

									
G078EF 040	G079EF 031	G079EF 040	G079EF 045	G079EF 060	G138EF 016	G138EF 023	G251EF 060	G251EF 060L	G257EF 023
8317	8318	8319	8370	8320	8371	8321	8322	8372	8323

Fine Cross Cut: [EF]

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.

				
G261EF 023	G293EF 023	G295EF 023	G351EF 040	G351EF 060
8373	8324	8325	8326	8374

Spiral Fine Cross Cut: [SPF]

Spiral cross cut fine toothing design is ideal for trimming all soft acrylics. "Shaving" effect on all metals.

		
G79SPF 040	G129SPF 023	G251SPF 060
8375	8376	8377

3/32" (2.35mm) shanks

Fine Straight Blade Cross Cut: [FST]

Straight blades with finer cross cuts are engineered to trim mouth guard and soft relene material. At 15,000 rpm, FST cutters are ideal on titanium.




Supercoarse Cross Cut: [XG]

For fast reduction of acrylic, stone and removal of soft relene material.



Superfine Cross Cut: [SF]

Superfine cross cut toothing design is ideal for texturizing porcelain, metal substructures and temporary acrylic restorations.




Coarse Straight Blade Cross Cut: [GSQ]

The GSQ is excellent for trimming soft relene material with its straight coarse blades and cross cuts.




Coarse Cross Cut: [SG]

Coarse, wide cross cut toothing design is ideal for rapid bulk trimming of acrylic and plaster.



Coarse Titanium Toothing: [GTi]

This special toothing design stabilizes the cutting edge allowing for a more aggressive cut.



Bulk Cross Cut: [GE]

For fast, smooth reduction of acrylic, plaster and stone.




Vacuum Form

Ideal design for cutting acrylic base plate materials.



6 Piece Kit 8350

Popular set for adjusting metal, acrylic and stone. Includes "free" lucite bur block.



Carbide Florentine / Ring Burs & Goldies® Drills

Florentine

Packed 1 per unit

"Top quality" solid carbide burs now available on 3/32" (2.35mm) shanks in each of the industry's standard shapes.

Goldies®

3/32" (2.35mm) shanks



Taper
8441



Cylinder
8442



Point
8443

Uncoated

3/32" (2.35mm) shanks



Taper
9441



Cylinder
9442



Point
9443

Inside Ring

Packed 1 per unit

Made of the same "top quality" solid carbide, these cylindrical burs are specially designed & fluted for fast deburring, smoothing and finishing of inside-ring surfaces.

1/4" (6.3mm) diameter · 3/32" (2.35mm) shanks



X-Fine
8411



Standard
8412



X-Coarse
8413

1/4" (6.3mm) diameter · 3/32" (2.35mm) shanks



X-Fine
9411




Standard
9412



X-Coarse
9413

3/8" (9.5mm) diameter · 1/8" (3.18mm) shanks



X-Fine
8421




Standard
8422




X-Coarse
8423

3/8" (9.5mm) diameter · 1/8" (3.18mm) shanks



X-Fine
9421



Standard
9422



X-Coarse
9423

Goldies®
Carbide Drills

Packed 3 per box

shank: 3mm

head length: 6mm

total length: 34.5mm

8500



- ★ Works with all popular models & die fabricating systems
- ★ Guaranteed minimum of 3 times extended tool life
- ★ Superior accuracy
- ★ Faster - cooler operation

Lathe Burs Packed 1 per unit

The same top quality carbide burs used to manufacture Carbide Bur **Goldies®** are also available uncoated, as follows:

1/2" (12.7mm) diameter · 1/4" (6.3mm) shanks



A-1/2
9071



B-1/2
9072



C-1/2
9073



D-1/2
9074



E-1/2
9075

3/8" (9.5mm) diameter · 1/4" (6.3mm) shanks



A-3/8
9081



B-3/8
9082



C-3/8
9083



D-3/8
9084



E-3/8
9085

Carbide Burs

Packed 1 per unit

3/32" (2.35mm) shanks

Diamond-Cut

For "fine" adjustment of acrylic, composite and porcelain. Ideal for final trimming and finishing in "hard to reach" areas.

						6 Piece Diamond-Cut Assortment
D-2	D-4	D-5	D-6	D-7	D-8	Kit
9301	9302	9303	9304	9305	9306	9300

Coarse-Cut

"Fastest" for reducing acrylic and all metals, including non-precious and chrome cobalt.

						6 Piece Coarse-Cut Assortment
84-T/XC	82-T/XC	63-B/XC	53-A/XC	52-D/XC	52-C/XC	Kit
9201	9202	9203	9204	9205	9206	9200

Fine-Cut

For "chairside" adjustment of acrylic and metals - leaves a smooth surface finish.

						6 Piece Fine-Cut Assortment
84-T/XF	82-T/XF	63-B/XF	53-A/XF	52-D/XF	52-C/XF	Kit
9101	9102	9103	9104	9105	9106	9100

Regular-Cut

"Standard" for adjusting acrylic and metals.

						6 Piece Regular-Cut Assortment
84-T	82-T	63-B	53-A	52-D	52-C	Kit
9001	9002	9003	9004	9005	9006	9000

										
51-A	61-A/81-A	73-C	88-A	83-E	41-P	44-C	31-P	32-P	33-C	71-G
9012	9013	9014	9015	9016	9051	9052	9061	9062	9063	9064

Special-Cut

For "clog-free" bulk reduction of acrylic, plaster and stone.

	
84-T/SP	88-A/SP
9091	9092

47 Series

Internationally popular shape. Available in both fine and coarse cuts.

	
47-XF	47-XC
9010	9011


★ Popular blade configuration ★ Precision machined & balanced ★ Color-coded to ISO standards


The same top quality carbide burs used to manufacture Euro Carbide **Goldies®** are also available uncoated, as follows:

Regular Cross Cut: [E]

Cross cut toothing design is ideal for rapid cutting of metal, acrylic and stone.

3/32" (2.35mm) shanks

									
D071E 023	D071E 027	D071E 040	D071E 050	D072E 060	D077E 029	D077E 060	D078E 040	D079E 031	D079E 040
9310	9311	9351	9312	9313	9352	9353	9354	9355	9314

										
D079E 045	D079E 060	D137E 023	D138E 016	D251E 060L	D257E 023	D257RE 060	D261E 023	D295E 023	D351E 040	D351E 060
9356	9357	9315	9358	9359	9360	9361	9362	9363	9364	9316

Fine Cross Cut: [EF]

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.

3/32" (2.35mm) shanks

									
D078EF 040	D079EF 031	D079EF 040	D079EF 045	D079EF 060	D138EF 016	D138EF 023	D251EF 060	D251EF 060L	D257EF 023
9317	9318	9319	9370	9320	9371	9321	9322	9372	9323

Fine Cross Cut: [EF]

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.

				
D261EF 023	D293EF 023	D295EF 023	D351EF 040	D351EF 060
9373	9324	9325	9326	9374

Spiral Fine Cross Cut: [SPF]

Spiral cross cut fine toothing design is ideal for trimming all soft acrylics. "Shaving" effect on all metals.

		
D79SPF 040	D129SPF 023	D251SPF 060
9375	9376	9377

Euro Carbide Burs

Packed 1 per unit

3/32" (2.35mm) shanks

Fine Straight Blade Cross Cut: [FST]

Straight blades with finer cross cuts are engineered to trim mouth guard and soft relene material. At 15,000 rpm, FST cutters are ideal on titanium.



Supercoarse Cross Cut: [XG]

For fast reduction of acrylic, stone and removal of soft relene material.



Superfine Cross Cut: [SF]

Superfine cross cut toothing design is ideal for texturizing porcelain, metal substructures and temporary acrylic restorations.




Coarse Straight Blade Cross Cut: [GSQ]

The GSQ is excellent for trimming soft relene material with its straight coarse blades and cross cuts.



Coarse Cross Cut: [SG]

Coarse, wide cross cut toothing design is ideal for rapid bulk trimming of acrylic and plaster.



Coarse Titanium Toothing: [GTi]

This special toothing design stabilizes the cutting edge allowing for a more aggressive cut.



Bulk Cross Cut: [GE]

For fast, smooth reduction of acrylic, plaster and stone.




Vacuum Form

Ideal design for cutting acrylic base plate materials.



6 Piece Kit 9350

Popular set for adjusting metal, acrylic and stone. Includes "free" lucite bur block.



Jeweler's Carbide Burs

3/32" (2.35mm) shanks

“Top Quality” From The Industry Leader		<table><tr><th>No.</th><th>MM</th><th>Inch</th></tr><tr><td>—</td><td>.1</td><td>.003</td></tr><tr><td>—</td><td>.2</td><td>.007</td></tr><tr><td>—</td><td>.3</td><td>.011</td></tr><tr><td>—</td><td>.4</td><td>.015</td></tr><tr><td>—</td><td>.5</td><td>.019</td></tr></table>			No.	MM	Inch	—	.1	.003	—	.2	.007	—	.3	.011	—	.4	.015	—	.5	.019	<table><tr><th>No.</th><th>MM</th><th>Inch</th></tr><tr><td>—</td><td>.6</td><td>.023</td></tr><tr><td>—</td><td>.7</td><td>.027</td></tr><tr><td>—</td><td>.8</td><td>.031</td></tr><tr><td>1</td><td>.9</td><td>.035</td></tr><tr><td>—</td><td>1.0</td><td>.039</td></tr></table>			No.	MM	Inch	—	.6	.023	—	.7	.027	—	.8	.031	1	.9	.035	—	1.0	.039
		No.	MM	Inch																																							
—	.1	.003																																									
—	.2	.007																																									
—	.3	.011																																									
—	.4	.015																																									
—	.5	.019																																									
No.	MM	Inch																																									
—	.6	.023																																									
—	.7	.027																																									
—	.8	.031																																									
1	.9	.035																																									
—	1.0	.039																																									
SETTING  1/unit		<table><tr><td>.1</td><td>—</td></tr><tr><td>.2</td><td>—</td></tr><tr><td>.3</td><td>—</td></tr><tr><td>.4</td><td>—</td></tr><tr><td>.5</td><td>—</td></tr></table>			.1	—	.2	—	.3	—	.4	—	.5	—	<table><tr><td>.6</td><td>—</td></tr><tr><td>.7</td><td>—</td></tr><tr><td>.8</td><td>—</td></tr><tr><td>.9</td><td>23201</td></tr><tr><td>1.0</td><td>23202</td></tr></table>			.6	—	.7	—	.8	—	.9	23201	1.0	23202																
.1	—																																										
.2	—																																										
.3	—																																										
.4	—																																										
.5	—																																										
.6	—																																										
.7	—																																										
.8	—																																										
.9	23201																																										
1.0	23202																																										
ROUND  6/box		<table><tr><td>.1</td><td>—</td></tr><tr><td>.2</td><td>—</td></tr><tr><td>.3</td><td>23302</td></tr><tr><td>.4</td><td>23303</td></tr><tr><td>.5</td><td>23304</td></tr></table>			.1	—	.2	—	.3	23302	.4	23303	.5	23304	<table><tr><td>.6</td><td>23305</td></tr><tr><td>.7</td><td>23306</td></tr><tr><td>.8</td><td>23307</td></tr><tr><td>.9</td><td>23308</td></tr><tr><td>1.0</td><td>23309</td></tr></table>			.6	23305	.7	23306	.8	23307	.9	23308	1.0	23309																
.1	—																																										
.2	—																																										
.3	23302																																										
.4	23303																																										
.5	23304																																										
.6	23305																																										
.7	23306																																										
.8	23307																																										
.9	23308																																										
1.0	23309																																										
CONE  6/box		<table><tr><td>.1</td><td>—</td></tr><tr><td>.2</td><td>—</td></tr><tr><td>.3</td><td>—</td></tr><tr><td>.4</td><td>—</td></tr><tr><td>.5</td><td>—</td></tr></table>			.1	—	.2	—	.3	—	.4	—	.5	—	<table><tr><td>.6</td><td>—</td></tr><tr><td>.7</td><td>—</td></tr><tr><td>.8</td><td>—</td></tr><tr><td>.9</td><td>23502</td></tr><tr><td>1.0</td><td>23503</td></tr></table>			.6	—	.7	—	.8	—	.9	23502	1.0	23503																
.1	—																																										
.2	—																																										
.3	—																																										
.4	—																																										
.5	—																																										
.6	—																																										
.7	—																																										
.8	—																																										
.9	23502																																										
1.0	23503																																										
CYLINDER  6/box		<table><tr><td>.1</td><td>—</td></tr><tr><td>.2</td><td>—</td></tr><tr><td>.3</td><td>—</td></tr><tr><td>.4</td><td>—</td></tr><tr><td>.5</td><td>—</td></tr></table>			.1	—	.2	—	.3	—	.4	—	.5	—	<table><tr><td>.6</td><td>—</td></tr><tr><td>.7</td><td>—</td></tr><tr><td>.8</td><td>—</td></tr><tr><td>.9</td><td>23904</td></tr><tr><td>1.0</td><td>23905</td></tr></table>			.6	—	.7	—	.8	—	.9	23904	1.0	23905																
.1	—																																										
.2	—																																										
.3	—																																										
.4	—																																										
.5	—																																										
.6	—																																										
.7	—																																										
.8	—																																										
.9	23904																																										
1.0	23905																																										
PAVE  2/box		<table><tr><td>.1</td><td>—</td></tr><tr><td>.2</td><td>—</td></tr><tr><td>.3</td><td>—</td></tr><tr><td>.4</td><td>—</td></tr><tr><td>.5</td><td>—</td></tr></table>			.1	—	.2	—	.3	—	.4	—	.5	—	<table><tr><td>.6</td><td>—</td></tr><tr><td>.7</td><td>—</td></tr><tr><td>.8</td><td>23451</td></tr><tr><td>.9</td><td>23452</td></tr><tr><td>1.0</td><td>23453</td></tr></table>			.6	—	.7	—	.8	23451	.9	23452	1.0	23453																
.1	—																																										
.2	—																																										
.3	—																																										
.4	—																																										
.5	—																																										
.6	—																																										
.7	—																																										
.8	23451																																										
.9	23452																																										
1.0	23453																																										

Jeweler's Carbide Burs & Assortments

No.	MM	Inch	No.	MM	Inch	No.	MM	Inch	ASSORTMENTS
2	1.1	.043	—	1.6	.062	7	2.1	.082	 23200 - 15/kit
—	1.2	.047	5	1.7	.066	—	2.2	.086	
3	1.3	.051	—	1.8	.070	8	2.3	.090	
—	1.4	.055	6	1.9	.074	—	2.4	.094	
4	1.5	.059	—	2.0	.078	9	2.5	.098	
1.1	23203		1.6	23208		2.1	23213		 23300 - 21/kit
1.2	23204		1.7	23209		2.2	23214		
1.3	23205		1.8	23210		2.3	23215		
1.4	23206		1.9	23211		2.4	—		
1.5	23207		2.0	23212		2.5	—		
1.1	23310		1.6	23315		2.1	23320		 23500 - 15/kit
1.2	23311		1.7	23316		2.2	23321		
1.3	23312		1.8	23317		2.3	23322		
1.4	23313		1.9	23318		2.4	—		
1.5	23314		2.0	23319		2.5	—		
1.1	23504		1.6	23509		2.1	23514		 23900 - 15/kit
1.2	23505		1.7	23510		2.2	23515		
1.3	23506		1.8	23511		2.3	23516		
1.4	23507		1.9	23512		2.4	—		
1.5	23508		2.0	23513		2.5	—		
1.1	23906		1.6	23911		2.1	23916		 23400 - 9/kit
1.2	23907		1.7	23912		2.2	23917		
1.3	23908		1.8	23913		2.3	23918		
1.4	23909		1.9	23914		2.4	—		
1.5	23910		2.0	23915		2.5	—		
1.1	23454		1.6	23459		2.1	—		
1.2	23455		1.7	—		2.2	—		
1.3	23456		1.8	—		2.3	—		
1.4	23457		1.9	—		2.4	—		
1.5	23458		2.0	—		2.5	—		

ELITE Fibreglass-Reinforced Discs

Simply the Best!

Multi-purpose · Shatterproof · Fibreglass-Reinforced Cutting Discs

ULTRA THIN Diamond Packed 10 per box

Diamond-filled fibreglass-reinforced discs for separating discs for ceramics, zirconium oxide and lithium disilicate. Minimal vibration and heat to prevent cracking and chipping of ceramic materials.



3/4" x .009"
(20 0.2mm)

3/4" x .012"
(20 0.25mm)

3/4" x .015"
(20 0.3mm)

1" x .012"
(26 0.25mm)

1" x .015"
(26 0.3mm)

1.6" x .018"
(40 0.4mm)

1.6" x .020"
(40 0.5mm)

1.6" x .027"
(40 0.7mm)

5541

5542

5543

5545

5546




5547

5548

5549

ULTRA THIN Silicon Carbide Packed 20 per box

The preferred choice for porcelain, gold and crown & bridge metals.



7/8" x .009"
(22 0.2mm)

7/8" x .015"
(22 0.3mm)

1.5" x .020"
(38 0.5mm)

5582

5584

5586

ELITE Fibreglass-Reinforced Discs

Packed 20 per box

Simply the Best!

Multi-purpose · Shatterproof · Fibreglass-Reinforced Cutting Discs

ULTRA THIN Aluminum Oxide Packed 20 per box

Long-lasting double fibreglass-reinforced separating discs for precious & non-precious metals and cast alloys.



7/8" x .009" (22 · 0.2mm)	7/8" x .012" (22 · 0.25mm)	7/8" x .015" (22 · 0.3mm)	7/8" x .020" (22 · 0.5mm)	1" x .012" (26 · 0.25mm)	1" x .015" (26 · 0.3mm)	1" x .020" (26 · 0.5mm)	1.6" x .018" (40 · 0.4mm)	1.6" x .020" (40 · 0.5mm)	1.6" x .027" (40 · 0.7mm)
5528	5529	5530	5531	5532	5533	5535	5536	5537	5538

TRADITIONAL Fibreglass-Reinforced Discs

DEDECO's traditional "shatterproof" reinforced discs cut everything from hard metals to soft acrylics. (aluminum oxide)



1-1/4" x .049" x 1/16" (32 · 1.2mm)	10/box 100/box	3601 9858
1-1/2" x .049" x 1/16" (38 · 1.2mm)	12/box 100/box	7001 9588
2-1/2" x .049" x 1/4" (64 · 1.2mm)	6/box 100/box	7002 9589
3" x .049" x 1/4" (76 · 1.2mm)	6/box 100/box	7003 9590
4" x .049" x 1/4" (101 · 1.2mm)	6/box 100/box	7004 9591


ELITE Non-Reinforced Discs

No matter what the material being worked, be it porcelain, gold, composite, enamel, acrylic, zirconium or any of today's numerous semi-precious and non-precious ceramic metals, DEDECO offers the "perfect" disc to do the job quickly and professionally.

Silicon Carbide Discs & Wheels - Multi-purpose

The industry's "longest-lasting" cutting discs and wheels.

Special dual-bonded resin binder ensures maximum durability and performance. ELITE silicon carbide cutters are ideal for porcelain, gold, enamel, zirconium and crown & bridge metals. Thicknesses from .005".



7/8" x .005"
(22 · 0.15mm)

7/8" x .009"
(22 · 0.2mm)

7/8" x .015"
(22 · 0.3mm)

15/16" x .025"
(24 · 0.6mm)

1-1/2" x .025"
(38 · 0.6mm)

1-1/2" x .040"
(38 · 1.0mm)

25/box

100/box

25/box

100/box

25/box

100/box

25/box

100/box

100/box

100/box

5190

5197

5172

5171

5555

5556

5557

5558

5560

5562

Aluminum Oxide Discs & Wheels - Preferred for Metals

The industry's "longest-lasting" cutting discs and wheels. Special dual-bonded resin binder ensures maximum durability and performance. ELITE aluminum oxide cutters are the preferred choice for harder metals. Thicknesses from .005".



7/8" x .005"
(22 · 0.15mm)

7/8" x .009"
(22 · 0.2mm)

7/8" x .015"
(22 · 0.3mm)

15/16" x .025"
(24 · 0.6mm)

25/box

100/box

25/box

100/box

25/box

100/box

25/box

100/box

5501

5502

5503

5504

5505

5506

5507

5508



1-1/4" x .062"
(32 · 1.6mm)

1-1/2" x .025"
(38 · 0.6mm)

1-1/2" x .032"
(38 · 0.8mm)

1-1/2" x .040"
(38 · 1.0mm)

12/box

100/box

12/box

100/box

100/box

12/box

100/box

7006

5514

7007

5510

5516


7008


5512

For "Ultimate" Durability & Performance

The Industry standard for adjusting porcelain, zirconium & e.max — Long-lasting.
Vitrified binder continuously exposes new sharp diamond with minimum heat. No pressure required.





Available on 3/32" (2.35mm) & 1/8" (3.18mm) shanks

Coarse							
3/32" (2.35mm) shanks							
							
Inverted Cone	Taper	Large Cylinder	Cylinder	Round	Flame		
4241	4242	4243	4244	4245	4246		
							
Square-Edge 5/8" x 1/8" (15.3.1mm)		Square-Edge 7/8" x 1/16" (22.1.6mm)		Knife-Edge 5/8" (15.8mm)		Knife-Edge 7/8" (22.2mm)	
4247	4447	4248	4448	4249	4449	4250	4450
3/32" shank	1/8" shank	3/32" shank	1/8" shank	3/32" shank	1/8" shank	3/32" shank	1/8" shank

Assortment 6 pc	
3/32" (2.35mm) shanks	
	
Contains: 4241, 4242, 4243, 4244, 4245, 4246	
4240	

For precise reduction of dental veneers and crown margins.
Multi-purpose Dia-Stones are also ideal for industrial applications.

Fine							
3/32" (2.35 mm) shanks							
							
Inverted Cone	Taper		Large Cylinder	Cylinder	Round	Flame	
4291	4292		4293	4294	4295	4296	

							
Square-Edge 5/8" x 1/8" (15.3.1mm)		Square-Edge 7/8" x 1/16" (22.1.6mm)		Knife-Edge 5/8" (15.8mm)		Knife-Edge 7/8" (22.2mm)	
4297	4497	4298	4498	4299	4499	4300	4500
3/32" shank	1/8" shank	3/32" shank	1/8" shank	3/32" shank	1/8" shank	3/32" shank	1/8" shank

Assortment 6 pc	
3/32" (2.35mm) shanks	
	
Contains: 4291, 4292, 4293, 4294, 4295, 4296	
4290	

Koolies® “No Heat” Grinding Wheels

Packed 50 per box










The industry standard. Non-clogging binder continuously exposes sharp new abrasive with “absolute minimum” of heat. Special metal bushing assures perfect centering, true-running and safety.

Coarse (silicon carbide)
The traditional
“multi-purpose” favorite.

Fine (silicon carbide)
The “preferred choice” for porcelain
and enamel. Leaves smoothest
surface. Easiest to polish.

Fine (aluminum oxide)
“Non-contaminating.” For
finishing non-precious and
semi-precious metals.

Coarse (aluminum oxide)
For faster finishing of
non-precious and semi-precious
ceramic metals.

1	2	3	4	5	6
					
1" x 3/16" (25 · 4.8mm) 0801	1" x 1/8" (25 · 3.1mm) 0802	1" x 3/32" (25 · 2.4mm) 0803	7/8" x 3/16" (22 · 4.8mm) 0804	7/8" x 1/8" (22 · 3.1mm) 0805	7/8" x 3/32" (22 · 2.4mm) 0806
					
0816	0817	0818	0819	0820	0821
					
0831	0832	0833	0834	0835	0836
	—		—		—
0846		0848		0850	

Koolies® “No Heat” Grinding Wheels

Packed 50 per box




7	8	9	10	11	12	13	14	15
3/4" x 3/16" (19 · 4.8mm)	3/4" x 1/8" (19 · 3.1mm)	3/4" x 3/32" (19 · 2.4mm)	5/8" x 3/16" (15 · 4.8mm)	5/8" x 1/8" (15 · 3.1mm)	5/8" x 3/32" (15 · 2.4mm)	1/2" x 3/16" (12 · 4.8mm)	1/2" x 1/8" (12 · 3.1mm)	1/2" x 3/32" (12 · 2.4mm)
0807	0808	0809	0810	0811	0812	0813	0814	0815
0822	0823	0824	0825	0826	0827	0828	0829	0830
0837	0838	0839	0840	0841	0842	0843	0844	0845
	0853							

Traditional Grinding Wheels

Packed 100 per box

No matter what the material being worked, be it porcelain, gold, enamel or any of today's numerous semi-precious and non-precious ceramic metals, Dedeco offers the perfect grinding wheel to do the job quickly and professionally.



	5/8" x 1/16" (15 · 1.6mm)	5/8" x 1/8" (15 · 3.1mm)	7/8" x 1/16" (22 · 1.6mm)	7/8" x 1/8" (22 · 3.1mm)
 Fine Cut For fast, heatless, chip-free finishing of porcelain, gold and enamel. Leaves smoothest surface - easiest to polish. (silicon carbide)	5355	5354	5351	5350
 Green Universals General purpose favorite possesses the same exceptional qualities as Fine Cut. (silicon carbide)	5385	5384	5381	5380
 Black Universals "Long-lasting" for adjusting gold and metal castings. (silicon carbide)	5375	—	5371	—
 High Speed For fastest finishing of chrome cobalt and hard metals. "Long-lasting" (aluminum oxide)	—	—	—	5390
 Rubi For fastest finishing of semi-precious and ceramic metals. (aluminum oxide)	—	—	—	5397

Traditional Lathe Wheels

Packed 1 per unit



	3" x 1/4" (76 · 6.3mm)	3" x 3/8" (76 · 9.5mm)
 Green – The "traditional favorite" for fastest, heatless, chip-free grinding of porcelain teeth.	5122	5123
 Black – "Long-lasting" for fast, heatless, chip-free grinding of porcelain teeth.	5126	5127
 Acrylic Base Plate Wheel – Rubber-bonded wheel for fast, clog-free trimming of base plates and acrylic dentures.	5137	5138
 Green Medium – Rubber-bonded wheel for rapidly removing scratches from porcelain and metals.	5147	5148
 Red Acrylic – For fastest, heatless, clog-free trimming of soft liners.	5159	5160
 White "Knock-Down" – For rapid trimming of plaster and stone models. Plastic center.	5161	5162

STICKIES® Model Trimmer Discs

Velcro-backed · Quick-changing · 100% Waterproof

STICKIES® virtually eliminate downtime and the mess associated with adhesive-backed discs.

		Coarse 36 grit	Standard 50 grit
10" Complete Kit	6 - 10" Discs 1 - Plastic Wheel	7062	7060
10" Refill	6 - 10" Discs	7063	7061
12" Complete Kit	4 - 12" Discs 1 - Plastic Wheel	7072	7070
12" Refill	4 - 12" Discs	7073	7071



Model Trimmer Wheels Packed 1 per unit

Perfectly-balanced · Fibreglass-reinforced · Long-lasting

DEDECO model trimmer wheels are now fibreglass-reinforced for perfect balance and superior durability.

REGULAR	10" x 1/4"	(254 · 6.3mm)	Coarse 36 grit	7010
	12" x 1/4"	(305 · 6.3mm)		7012
FOSTER-TYPE (with second positioning hole)	10" x 1/4"	(254 · 6.3mm)		7011
	12" x 1/4"	(305 · 6.3mm)		7013
	10" x 1/4"	(254 · 6.3mm)	Extra-Coarse 24 grit	7014
	12" x 1/4"	(305 · 6.3mm)		7015




Diamond Burs for Podiatry Packed 1 per unit

Dedeco diamond-plated burs for podiatry are available in all popular shapes and sizes.



"Sintered Slims" - Solid Diamond Discs Packed 1 per unit

The industry's "longest-lasting." The "absolute best" sintered diamond discs for fast cutting of composite and acrylic.



"Long-lasting" Diamond Discs Packed 1 per unit



Diamond Points

Packed 1 per unit

Precision diamond-plated points. Coarse & fine grits.

3/32" (2.35mm) shanks

	Goldies®						Uncoated					
Coarse												
	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045
	2501	2502	2503	2504	2505	2506	2701	2702	2703	2704	2705	2706
Fine												
	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045
	2551	2552	2553	2554	2555	2556	2707	2708	2709	2710	2711	2712
Fine												
	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045
	2601	2602	2603	2604	2605	2606	2713	2714	2715	2716	2717	2718
Fine												
	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045
	2607	2608	2609	2610	2611	2612	2719	2720	2721	2722	2723	2724
Fine												
	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045	49/1060	75/1060	77/1060	78/1060	78/1090	79/1045
	2657	2658	2659	2660	2661	2662	2725	2726	2727	2728	2729	2730

Green Giant Stones

Packed 12 & 72 per box

The "absolute best" for fastest, heatless, chip-free finishing of porcelain, gold, enamel and amalgam. (silicon carbide)

HP

3/32" (2.35mm) shanks

12/box	4223	4213	4048	4208	4031	4202	4032	4219	4033	4207	4214
72/box	6223	6213	6248	6208	6231	6202	6232	6219	6233	6207	6214
12/box	4215	4034	4216	4217	4035	4036	4037	4038	4221	4039	4220
72/box	6215	6234	6216	6217	6235	6236	6237	6238	6221	6239	6220
12/box	4226	4227	4040	4041	4204	4030	4218	4222	4042	4212	4211
72/box	6226	6227	6240	6241	6204	6230	6218	6222	6242	6212	6211
12/box	4210	4043	4206	4044	4203	4201	4045	4046	4047	4224	4225
72/box	6210	6243	6206	6244	6203	6201	6245	6246	6247	6224	6225

RA Packed 12 per box

3/32" (2.35mm) shanks

12/box	4323	4302	4304	4322	4311	4310	4306	4307

FG Packed 12 per box

1/16" (1.6mm) shanks

12/box	4423	4402	4404	4411

White Arkansas Stones

Packed 12 per box

The “absolute best” for ultra-fine finishing of composites. Will not cut enamel. (aluminum oxide)

HP													
3/32" (2.35mm) shanks													
138 (CN1)	114 (CY1)	111 (FL2)	132 (FL3a)	127 (IC1)	125 (IC2)	135 (KN1)	133 (KN4)	18 (RD1)	17 (RD2)	122 (TC1)	16 (WH1)	141 —	143 (WH6)
4523	4509	4502	4519	4514	4529	4521	4520	4504	4528	4511	4503	4524	4525

RA				FG			
3/32" (2.35mm) shanks				1/16" (1.6mm) shanks			
138 (CN1)	111 (FL2)	18 (RD1)	122 (TC1)	138 (CN1)	111 (FL2)	18 (RD1)	122 (TC1)
4623	4602	4604	4611	4723	4702	4704	4711

A/O Rubi Stones

Packed 12 & 72 per box

The “absolute best” for fine finishing of non-precious and semi-precious ceramic metals.
Non-contaminating & long-lasting. (aluminum oxide)

3/32" (2.35mm) shanks													
12/box 72/box													
	1 —	138 (CN1)	126 (CN3)	115 (CY3)	111 (FL2)	132 (FL3a)	113 —	127 (IC1)	128 (IC3)	129 (IC5)	130 —	135 (KN1)	133 (KN4)
	4161 4261	4823 4923	4813 4913	4808 4908	4802 4894	4819 4919	4807 4907	4814 4914	4815 4915	4816 4916	4817 4917	4821 4921	4820 4920
12/box 72/box													
	151 —	152 (KN7)	18 (RD1)	131 (RD3)	123 —	122 (TC1)	120 (TC2)	112 —	16 (WH1)	13 —	141 —	143 (WH6)	
	4826 4926	4827 4927	4804 4897	4818 4918	4812 4912	4811 4911	4810 4910	4806 4899	4803 4896	4801 4895	4824 4924	4825 4925	

Traditional Specialties for Acrylics



Acrylic Trimmers (Stone) Packed 5 per box

Traditional stones for fast, clog-free trimming of acrylics and soft liners.
The "**preferred choice**" for adjusting mouthguards. 3/32" (2.35mm) shanks

Coarse



5 Piece Assortment

1	2	4	5	113	—
6101	6102	6104	6105	6106	6100

Medium



5 Piece Assortment

5101	5102	5104	5105	5106	5100
------	------	------	------	------	------

Grinding Wheels Packed 100 per box

Coarse - Resin-bonded wheels for fastest, heatless, clog-free trimming of acrylics and soft liners. Same composition as Red Acrylic Trimmers.
7/8" x 1/8" (22 x 3.1mm)



5113

Touch-Up Points Packed 12 per box

For minor trimming, adjusting and polishing of acrylics chair-side in less than one minute. Use with normal hand-piece pressure to trim excess, provide relief or smooth an area previously ground. Rotate in cocoa butter or vaseline, using a brushing stroke and light pressure to quickly restore "glaze-like" lustre.



3/32" (2.35mm) shanks

5114

Laboratory Mounted Points Packed 12 & 72 per box

Coarse

For fastest finishing of chrome cobalt and hard metals.

Medium

Preferred choice for finishing non-precious crown and bridge metals.

"Long-lasting" ceramic bonded points for finishing all metals.
(aluminum oxide) 3/32" (2.35mm) shanks



12/box

4171	4172	4173	4175	4181	4182	4183	4185
------	------	------	------	------	------	------	------


72/box

4271	4272	4273	4275	4281	4282	4283	4285
------	------	------	------	------	------	------	------

Instrument Sharpeners Packed 1 per unit

Ceramic bonded aluminum oxide stones for honing and sharpening instruments. "Fast-working" - "long-lasting."

3/32" (2.35mm) shanks



5 pc Asst.

5/8" Round	1/2" Round	3/8" Round	1/4" Round	3/16" Cone	—
5401	5402	5403	5404	5406	5410

Flexible Shaft Stones


Packed 1 per unit

Compare with Xebec®


Ceramic-bonded 220 grit aluminum oxide stones on flexible shafts specially designed for detailed finishing and deburring both front and back of a drilled hole. Flexible shaft allows soft contact with the work piece and suppresses subtle vibrations.

Suitable for use in CNC machines, robots or hand-held rotary tools.

No matter what the material being worked, be it aluminum, copper, brass, steel, iron, titanium or any of today's high temperature alloys, Dedeco flexible shaft aluminum oxide stones are the economical instruments of choice.



3mm Ball	4mm Ball	6mm Ball
3701	3702	3704



3mm Ball (XL)	4mm Ball (XL)	6mm Ball (XL)
3731	3732	3734


Do-It-Yourselfer & Hobbyist Favorites

Traditional favorites for the “do-it-yourselfer” and “hobbyist”.



3100

For sanding, grinding and cutting wood, metal & plastic.
1/8" (3.18mm) shanks



3200

For carving, slotting, sanding, shaping & smoothing wood.
1/8" (3.18mm) shanks



3300

For grinding, cutting, engraving, cleaning & polishing
literally all materials. 1/8" (3.18mm) shanks




3400

For slicing, slotting, trimming and cutting-off
metals & plastic. 1/8" (3.18mm) shanks

Works with all popular Rotary & Flex-Shaft Tools



3301
For slicing, slotting and
cutting-off metals & plastic.
1/8" (3.18mm) shanks



3308
Versatile set for easily removing
rust and corrosion & cleaning metal
1/8" (3.18mm) shanks




3601
"Fibreglass-reinforced" Cut-Offs
1-1/4" x .049" (32.1.2mm)



3602
"Standard" Cut-Off Discs
15/16" x .025" (23.0.6mm)



3603
"Heavy Duty" Cut-Off Discs
15/16" x .040" (23.1.0mm)



3605
"Diamond" Point Set
1/8" (3.18mm) shanks



3611
Engraving Cutter Set
3/32" (2.35mm) shanks




3698
Metal Magic

General Purpose Assortment	134/kit	3100
Woodworker's Assortment	206/kit	3200
"Deluxe" Accessory Assortment	58/kit	3300
Cut-Off Wheel Set	42/kit	3301
Wire Brush Set	6/kit	3308
"Deluxe" Cut-Off Assortment	134/kit	3400
"Fibreglass-Reinforced" Cut-Offs · 1-1/4" x .049"	10/pc.	3601
"Standard" Cut-Off Discs · 15/16" x .025"	50/pc.	3602
"Heavy Duty" Cut-Off Discs · 15/16" x .040"	25/pc.	3603
Diamond Point Set · 1/8" (3.18mm) shanks	6/kit	3605
Engraving Cutter Set · 3/32" (2.35mm) shanks	6/kit	3611
Metal Magic Set · 3/32" (2.35mm) shanks	1/kit	3698


Mandrels

	Item	Description	Shank	Qty
	5431	Snap-On Mandrels	3/32"	3
	5430		RA	3
	5432		1/16"	3
	7081	2mm Pin Stainless Steel Mandrels	3/32"	1
	7082			12
	7083	3mm Pin Stainless Steel Mandrels	3/32"	1
	7084			12
	1835	Arbor Band Mandrels	3/32"	1
	1836		1/8"	1
	1358	E-Z-Loc Backup Pad Mandrels	1/4"	1
	1359		6mm	1

	Item	Description	Shank	Pin	Qty
	5425		3/32"	1/16"	12
	5435		3/32"	1/16"	144
	5428		3/32"	1/16"	12
 (8mm)	5438		3/32"	1/16"	144
	1347	General Purpose Mandrels	3mm	1/16"	6
	0261		1/8"	1/16"	6
	1360		3/32"	1/8"	1
	1363		1/8"	1/8"	1
	1348		6mm	1/8"	6
	1364		1/4"	1/16"	1
	1365		1/4"	1/8"	1

Mandrels & Accessories

Stone Chuck	Spiral				RA	
	For 1/16" Arbor		For 1/8" Arbor			
1/4" (6.3mm) shank	3/32" (2.35 mm) shanks		1/8" x 3/32" (3.18 mm) shanks		3/32" (2.35 mm) shanks	
1/unit	12/box	144/box	6/box	6/box	12/box	144/box
5121	5427	5437	5429	0063	5426	5436

Dia-Dome	Fibre-glass	Cone
	The ideal mandrel to give extra durability and finer performance to 2-1/2", 3" and 4" Fibre-glass Discs. 	
3/32" (2.35mm) shanks	1/4" (6.3mm) shank	1/4" (6.3mm) shank
1/unit	1/unit	1/unit
2745	7005	0126

Accessories for 1/4" & 3/8" Arbors

Item	Description	Shank	Pin	Qty	Item	Description	Arbor	Qty
 0264	Disc Mandrels	1/4"	1/4"	1	 1361	Radial Disc Spindle Adapter (Left)	3/8"	1
0265		6mm	6mm	1	 1362	Radial Disc Spindle Adapter (Right)	3/8"	1
1366		1/4"	3/8"	1				
 1349		6mm	3/8"	1				

Specially designed for use with 2", 3" & 4" radial discs with 3/8" arbor



WELCOME TO STAINO®


Our unique range of aluminum oxide abrasive-filled oral hygiene aids scientifically proven safe and effective for removing plaque and surface stains from teeth.



STAINO® TECHNOLOGY

Developed jointly with world-renowned **DUPONT** and **Dedeco**, the dental industry's leading manufacturer of abrasive polishers, we are able to blend ultra-fine white aluminum oxide abrasive particles into micro-thin nylon filaments to create our unique interdental brushes & dental floss and in latex-free rubber to produce our tooth stain eraser and iCLEAN® stain removing prophylactic, latch & screw type cups.

As a result, unlike other manufacturers' standard filament and polishing products which work solely on the basis of friction, STAINO® products – taking advantage of the abrasive particles used by dentists for decades – are scientifically proven to safely remove surface stains while simultaneously more effectively removing food particles and plaque.



SEM Micrograph (500X) STAINO® Filament with Abrasive Particles

WHAT'S NEW

It is with great pride that we introduce iCLEAN® and incorporate it into the STAINO® family of products.

iCLEAN® is the world's first and only disposable prophylaxis angle and prophylaxis cups that effectively clean, polish and remove stains.



Proven safe for enamel and gums, the micro-fine aluminum oxide abrasive particles uniformly blended within the "soft" flexible rubber cups ensure effective performance on all tooth surfaces – facial, lingual, interproximal & subgingival.

Eliminates spot stains even when used without prophylaxis paste. Splatter is virtually eliminated and visibility during cleaning is markedly improved – a more efficient process for hygienist and patient alike.

CONTINUING SUCCESS

We are also proud of the ever-increasing popularity and world-wide success of our interdental brushes, dental floss – including Flossbox® and Floss 'n Toss® – as well as the Tooth Stain Eraser which is a #1 seller on Amazon.com.

The scientific studies are undeniable – STAINO® technology clearly outperforms the competition.

Thank you for your support of our products – it is truly appreciated.

THE STAINO® TEAM

Introducing

SOFT

iCLEAN®

LATEX
FREE

World's first and only disposable
prophy angle that effectively
CLEANS, POLISHES & REMOVES STAINS
even without paste!




S2000P
iCLEAN®
PROPHY ANGLE
100 per box

- Micro-fine stain removing aluminum oxide abrasive is blended within the "soft" flexible cups
- Proven safe for enamel and gums*
- Clear difference in tooth color from pre-to-post usage*
- Eliminates spot stains even when used without prophylaxis paste. Splatter is eliminated and visibility improved

Say 'NO' to Tooth Stains

Also available in latch and screw models, the "soft" stain removing i CLEAN® prophylagy cups effectively clean all tooth surfaces – facial, lingual, interproximal and subgingival. Transitions easily from tooth to tooth.



i CLEAN® Testimonials



"Just love it! Stain removal is so much easier - especially in combination with my regular paste. Great time saver! This product is a true game changer."

Lizzy RDH - Boston, MA



"My hygienist can't stop raving. Over the years she tried every brand on the market and never found any remotely comparable. Her job is easier and our patients happier."

Rachel DDS. - New York, NY



*NOTE: Testing conducted by Therametric Technologies, Inc. 9880 Douglas Floyd Parkway, Noblesville, IN. Data on file.

INTERDENTAL BRUSHES

Clinically Proven Safe & Effective

SIZE	TIGHT	MODERATE		WIDE	
SHAPE	Cylindrical	Cylindrical	Tapered	Cylindrical	Tapered
INTERDENTAL BRUSHES Refills for Interdental Handles	     S214P (1501) S412P (1502) S414P (1503) S612P (1504) S614P (1505) Each box contains 36 2-brush units (72 brushes)				
TWINS® Patented Dual-Ended Handle	     S1214P (1601) S1412P (1602) S1414P (1603) S1612P (1604) S1614P (1605) Each box contains 36 2-brush TWINS® (72 brushes)				
BREAKAWAYS Disposable	MINIS®  S5690 PREFERRED CHOICE FOR ON-THE-GO JUMBOS®  S5698 Each box contains 36 10-brush packs (360 brushes)				
PY•CO•TWIN® Dual-Ended Extended Reach Handle	CLASSIC FAVORITE  S1648 Each case contains 72 PY•CO•TWIN® (144 brushes)				


Say 'NO' to Tooth Stains

STAINO® offers the industry's widest range of interdental models for convenient at-home and on-the-go use.

No matter the task – be it removing plaque and food particles between and around teeth, bridge abutments, implants and braces or removing tobacco, coffee, red wine, cola and other tooth surface stains – STAINO® offers the ideal, shape and size interdental brush and easy to use handle to work quickly and efficiently.



FOR TIGHT TO WIDE SPACES



SAFE FOR BRACES AND IMPLANTS



REDUCES GINGIVITIS

FREQUENTLY ASKED QUESTIONS

WHY ARE STAINO® INTERDENTAL BRUSHES UNIQUE?

Ultra-fine white aluminum oxide – a proven dental stain removing abrasive – is blended within the nylon bristles for faster more effective plaque and stain removal. Other manufacturers' interdental brushes are just nylon and work solely on the basis of friction.

IS THE ALUMINUM OXIDE ONLY IN THE GREEN-COLORED BRISTLES?

No, it is blended in all the bristles, green and white. The green band simply makes it easier to identify a genuine STAINO® Interdental Brush.

WHY ARE STAINO® INTERDENTAL BRUSHES BETTER?

The ultra-fine white aluminum oxide in STAINO® bristles remove plaque and difficult stains much faster while simultaneously whitening tooth surfaces.

WHAT TYPE OF STAINS DO THEY REMOVE?

Surface stains commonly caused by tobacco, coffee, tea, red wine, cola and red sauce.



TOBACCO



COFFEE/TEA



WINE



COLA



RED SAUCE

ARE STAINO® BRUSHES SAFE?

Absolutely. In both laboratory and clinical studies STAINO® Interdental Brushes have conclusively been proven safe.

ARE THE WIRES PLASTIC COATED?

Yes, therefore also safe for cleaning around implants.

WHAT IS THE SIGNIFICANCE OF THE COLOR-CODE?

The different colors on the packages and brush handles identify the various shapes and sizes of the brushes.

HOW MANY SHAPES AND SIZES ARE AVAILABLE?

Five. Two shapes. Three sizes.

WHY SHOULD I USE STAINO® INTERDENTAL BRUSHES?

STAINO® Interdental Brushes are the most effective in removing plaque and difficult stains between teeth, where most staining and decay occur between professional cleanings.

STAINO® brushes also reduce gingivitis as part of a good oral hygiene program and supplement regular professional care.

TWINS®

Patented Dual-Ended Handle


STAINO®'s patented dual-ended handle feature stackable aerated caps for better control and greater reach. Convenient for at-home and on-the-go use, TWINS® are available by individual shape and size.

TWINS® Testimonial



"Using these is an easy way to follow my dentist's cleaning between-the-teeth recommendation. They can be taken on trips and are easy and convenient either at home or away."

Roger - Philadelphia, PA



S1214P
(1601)
TIGHT
Cylindrical



S1412P
(1602)
MODERATE
Cylindrical



S1414P
(1603)
MODERATE
Tapered



S1612P
(1604)
WIDE
Cylindrical



S1614P
(1605)
WIDE
Tapered

Each box contains 36 2-brush TWINS® (72 brushes)

PY•CO•TWIN®

Dual-Ended Extended Reach Handle


PY•CO•TWIN®'s dual-ended extended reach handle for better control and greater reach.



JUMBOS® Testimonial

"I love this product, my periodontist recommended them to me after my last deep cleaning and scaling! This interdental excels at getting into the recesses of my back teeth. They are super easy to use and highly effective! I will be a loyal user of this product."

Rebecca - Hoboken, NJ



\$1648

PY•CO•TWIN®

Each case contains 72 PY•CO•TWIN® (144 brushes)

BREAKAWAYS HYGIENIC & CONVENIENT

MINIS® CLEAN TIGHT SPACES BETWEEN TEETH


Small yet sturdy, our MINIS® micro-fine brushes are ideal for on-the-go use. Compact and conveniently packaged 10 per “matchbook”, our MINIS® patented breakaway design is a proven favorite.



MINIS® Testimonial

“I’ve tried several brands and these are the best of the lot as far as being small enough to get between your teeth, yet still firm enough to be useful. They prevent build-up of plaque between your teeth, which cuts down on cavities!”

James - New York, NY



\$5690

MINIS®

10 brushes per pack
36 packs per box



\$5698

JUMBOS®

10 brushes per pack
36 packs per box




JUMBOS® CLEAN WIDE SPACES BETWEEN TEETH

Also conveniently packaged 10 per “matchbook” with our patented breakaway design. JUMBOS® tapered brushes are perfect for cleaning wider interdental spaces, around implants & orthodontic wires.

INTERDENTAL BRUSHES

For greater economy, refill brushes are the models of choice. Available by individual shape & size.



Use with our Interdenal Handle



S214P
(1501)
TIGHT
Cylindrical



S412P
(1502)
MODERATE
Cylindrical



S414P
(1503)
MODERATE
Tapered



S612P
(1504)
WIDE
Cylindrical



S614P
(1505)
WIDE
Tapered

Each box contains 36 2-brush units (72 brushes)

STAINO®'s easy-to-use handle with slide-lock head holds refill brushes firmly in place and allows replacement of worn brushes in seconds.



S316P (1526)
Interdenal Brush Handle
Each box contains 36 handles



DENTAL FLOSS

Only STAINO® dental floss, which incorporates micro-fine aluminum oxide abrasive particles within its filament, is proven to safely and effectively remove stains from tooth surfaces.

SELF

“For stains between teeth – Grade: A”

\$1810

55yd/50m

Each case contains 72 units



FLOSS 'n TOSS®

HYGIENIC & CONVENIENT

Individually wrapped — nothing beats FLOSS 'n TOSS® waxed flossers for hygienic on-the-go convenience. Our compact patented handle design is easy to hold and easy to use. Best of all, you will be flossing with STAINO®'s genuine stain removing filament.



\$1740

FLOSS 'n TOSS®

144 per box

EVERYONE LOVES THEM!

Good Housekeeping

“Get your teeth looking better than ever”

Life & Style

“Celeb smiles - Great for flossing on the go”

SHAPE

“Keep your teeth and gums gorgeous and healthy”

REDBOOK

“Something New to Smile About”

Say 'NO' to Tooth Stains

FLOSSBOX®

FLOSS + COSMETIC MIRROR THE SIZE OF A BUSINESS CARD.

PEOPLE LOVE IT!

REDBOOK

"We love Flossbox"

The New York Times

Official Selection Holiday Gift Guide

fitness
Mind, Body + Spirit

"I'm obsessed with these"

**Boston
magazine**

"The prettiest box of floss
we will ever own"

teenVOGUE

"Keep your teeth beautiful
and healthy"

Parents

"We're fans of the Flossbox"

ESSENCE

"Flossbox is chic"



FLOSSBOX® Testimonial

"My patients love it so
much they show it to
their friends."

Dr. Steven - New York, NY


\$1680

FLOSSBOX®

16.5yd/15mm

Each case contains

144 units



Contact us
about Flossbox®
personalization.




TOOTH STAIN ERASER


The same tooth stain removing rubber polishing tips that dentists have used successfully for more than 40 years are now available for at-home and on-the-go use. Safely remove stains from tooth surfaces. No paste required.

amazon.com®

#1 Best Seller




**THE ONLY TOOTH STAIN ERASER
SCIENTIFICALLY PROVEN SAFE.**



\$1655

TOOTH STAIN ERASER

Each case contains 72 2-eraser units (144 erasers)



STAINO® FAMILY OF PRODUCTS

iCLEAN®

S2000P

Disposable
Prophy Angle

NEW!



S1998P

Latch Type



S1999P

Screw Type



FLOSS



S1810

FLOSS 'n TOSS®



S1740

FLOSSBOX®



S1680



S1655
TOOTH
STAIN
ERASER

INTERDENTAL BRUSHES



S214P

(1501)

TIGHT
Cylindrical



S412P

(1502)

MODERATE
Cylindrical



S414P

(1503)

MODERATE
Tapered



S612P

(1504)

WIDE
Cylindrical



S614P

(1505)

WIDE
Tapered



S316P

(1526)

Interdental
Brush Handle

TWINS®



S1214P

(1601)


TIGHT
Cylindrical



S1412P

(1602)

MODERATE
Cylindrical



S1414P

(1603)

MODERATE
Tapered



S1612P

(1604)

WIDE
Cylindrical



S1614P

(1605)

WIDE
Tapered



S1648

PY.CO.TWIN®

WIDE
Tapered

BREAKAWAYS

S5690

MINIS®

TIGHT
Cylindrical



S5698

JUMBOS®

WIDE
Tapered



Numerical Index

Category	Page
Sunburst.....	1-46
Rubberized Abrasives.....	47-57
Carbide Burs.....	58-68
Elite Discs.....	69-71
Ultra Dia-Stones.....	72
Grinding Wheels.....	73-76
Diamond Burs & Discs.....	77-78
Mounted Stones.....	79-82
Do-it-Yourselfer / Hobby.....	83-84
Mandrels & Accessories.....	85-86
Staino.....	87-100



Item	Description	Page
0015	Small Wheel & Point Assortment.....	48
0046-0060	Industrial Rubberized Abrasive Points.....	51
0063	Point Mandrel.....	86
0071-0125	Industrial Rubberized Abrasive Cones.....	51
0126	Cone Mandrel.....	86
0131-0180	Industrial Rubberized Abrasive Wheels.....	52
0261-0265	Wheel Mandrels.....	29, 85-86
0801-0853	Koolies.....	73-74
1000-1003	Moto-Tool.....	Inside Cover
1010	Laboratory Favorites Assortment.....	48
1055	Sunburst Diamond Point Assortment.....	13, 46
1056-1061	Sunburst Diamond Points.....	14, 46
1100-1183	Hi-Glaze Diamond-Filled Silicone Polishers.....	53-54
1184	Cad / Cam Chairside Restoration Set.....	54
1192-1195	Sunburst Diamond Points - FG.....	46
1200-1202	Sunburst 1/2" TC Snap-On Discs - Diamond.....	16, 46
1208	Sunburst All-In-One Deluxe Assortment.....	11
1209	Sunburst Favorites Assortment.....	11
1210	Sunburst Disc Assortment 5/8", 7/8" and 1".....	11
1220-1234	Sunburst 5/8" TC Discs.....	17
1240-1254	Sunburst 7/8" TC Discs.....	19

Item	Description	Page
1260-1267	Sunburst 7/8" TC 4-Ply Discs.....	19
1271-1282	Sunburst 1" TC Discs.....	21
1283	Sunburst 3D Print Postprocess Kit.....	11
1291-1316	Sunburst 2" TC Discs.....	28
1321-1346	Sunburst 3" TC Discs.....	30
1347-1349	Sunburst Mandrels.....	29, 85-86
1350-1357	Sunburst 1/2" TC Snap-On Discs (A/O).....	16
1358-1359	Sunburst E-Z Loc Mandrels.....	85
1360	Sunburst Mandrel.....	85
1361-1362	Sunburst Radial Disc Adapters.....	29, 86
1363-1365	Sunburst Mandrels.....	85
1366	Sunburst Mandrel.....	29, 86
1367-1376	Sunburst 2mm Pins.....	15
1377-1386	Sunburst 3mm Pins.....	15
1392-1399	Sunburst 10" TS Discs.....	41
1400	Sunburst Point Assortment (A/O).....	13
1401-1436	Sunburst Points (A/O).....	14
1701-1706	Sunburst Try 'Em Sets.....	12
1741-1745	Sunburst 1" TC Discs.....	21
1751-1765	Sunburst 5/8" TC Knife-Edge.....	18
1770-1774	Sunburst 7/8" TC 4-Ply Discs.....	43
1780-1788	Sunburst 1" TC 4-Ply Discs.....	21
1791-1796	Sunburst 1", 2", 3" E-Z Loc Brushes.....	23
1797	Sunburst All-In-One Silicon Carbide Assortment.....	43
1807-1813	Sunburst 2" TC 6-Ply Discs.....	27
1829-1834	Sunburst 3" TC 6-Ply Discs.....	29
1835-1836	Sunburst Band Mandrels.....	16, 85
1837	Sunburst Spindle Adapter For 6" Discs.....	38
1838-1839	Sunburst SR Cutters.....	10
1840	Sunburst 1/2" x 1/2" Band Assortment.....	12, 16
1841-1848	Sunburst 1/2" x 1/2" Bands.....	16
1849-1852	Sunburst 4-1/2" E-Z Loc Brushes.....	25
1858	Sunburst 3" TA Discs.....	32
1859	Sunburst 3" TA E-Z Loc Discs.....	25
1860-1871	Sunburst 1", 2", 3" E-Z Loc Brushes.....	23
1872-1874	Sunburst 3" TA Discs.....	32
1875-1877	Sunburst 3" TA E-Z Loc Discs.....	25
1878-1889	Sunburst 6" TC Discs.....	36
1890-1895	Sunburst 6" TA Discs.....	38
1896-1903	Sunburst 7-5/8" TC Discs.....	39
1904-1913	Sunburst 8" TS Discs.....	40

Item	Description	Page	Item	Description	Page
1914-1916	Sunburst E-Z Loc Assortments w/Back-Up Pad.....	24	4201-4227	Green Giant Stones.....	79
1918-1919	Sunburst 8" TS Discs.....	40	4240-4250	Ultra Dia-Stones.....	72
1920-1934	Sunburst 7/8" TC Dual Discs.....	20	4261	A/O Rubi Stones.....	80
1940-1954	Sunburst 7/8" TC Knife-Edge Discs.....	20	4271-4275	Red Laboratory Points.....	81
1972-1979	Sunburst 12" TS Discs.....	42	4281-4285	White Laboratory Points.....	81
1991-1992	Sunburst Flange & Telescope Adapters.....	38	4290-4300	Ultra Dia-Stones.....	72
1995-1996	Sunburst Flange & Telescope Adapters.....	41	4302-4323	Green Giant Stones.....	79
2210-2226	Sunburst 1" TS Discs.....	22	4336-4387	Classic Polishing Points.....	49
2241-2250	Sunburst 2" TC Discs.....	27-28	4402-4423	Green Giant Stones.....	79
2251-2260	Sunburst 3" TC Discs.....	29-30	4447-4500	Ultra Dia-Stones.....	72
2261-2278	Sunburst 4" TC Discs.....	33	4502-4529	White Arkansas Stones.....	80
2281-2284	Sunburst 6" TC Discs.....	36	4560-4583	Classic Polishing Points.....	49
2300-2316	FG Carbide Goldies.....	59	4590-4595	Classic Rubber Polishers.....	47
2320	Sunburst Point Assortment (S/C).....	13, 45	4602-4623	White Arkansas Stones.....	80
2321-2344	Sunburst Points (S/C).....	14, 45	4660-4683	Classic Polishing Points.....	49
2350	Sunburst 2" TC 3-Ply Assortment.....	28	4702-4723	White Arkansas Stones.....	80
2360	Sunburst 2" TC 6-Ply Assortment.....	28	4760-4783	Classic Polishing Points.....	49
2370	Sunburst 3" TC 3-Ply Assortment.....	30	4801-4827	A/O Rubi Stones.....	80
2380	Sunburst 3" TC 6-Ply Assortment.....	30	4860-4883	Classic Polishing Points.....	49
2391-2398	Sunburst 4" x 4" TC Brushes.....	34	4894-4927	A/O Rubi Stones.....	80
2400-2406	FG Carbide Goldies.....	59	4940-5030	Classic Rubber Polishers.....	47, 48
2421-2428	Sunburst 3" TS Discs.....	31	5100-5106	Acrylic Trimmers - White.....	81
2431-2438	Sunburst 4" TS Discs.....	35	5113	Red Acrylic Wheels.....	81
2441-2448	Sunburst 6" TS Discs.....	37	5114	Acrylic Touch-Up Points.....	81
2451-2458	Sunburst 4" TA Discs.....	32	5121	Stone Chuck Mandrel.....	86
2501-2662	Goldies Diamond Points.....	78	5122-5123	Green Lathe Wheels.....	75
2701-2730	Diamond Points.....	78	5126-5127	Black Lathe Wheels.....	75
2745	Dia-Dome Mandrel.....	86	5137-5138	Acrylic Base Plate Wheels.....	75
2751-2756	Diamond Discs.....	77	5147-5148	Medium Lathe Wheels.....	75
2771-2779	Diamond Podiatry Burs.....	77	5159-5160	Red Stone Lathe Wheels.....	75
2803-2825	Sintered Slim Diamond Discs.....	77	5161-5162	White Knock-Down Wheels.....	75
2836-2853	Sunburst 1" TS 6-Ply Discs.....	22	5171-5172	Elite NM Slims.....	71
3100-3698	Do-It-Yourselfer & Hobbyist Favorites.....	83-84	5190-5197	Elite Ultra-.005 Discs.....	71
3701-3734	Flexible Shaft Stones.....	82	5241-5295	Classic Jumbo Polishers.....	50
3740-3754	Sunburst 9/16" TC Discs.....	17	5350-5355	Fine Cut Wheels.....	75
3840-3854	Sunburst 3/4" TC Discs.....	18	5371-5375	Black Universal Wheels.....	75
4017-4019	Sunburst E-Z Loc Accessory Sets.....	26	5380-5385	Green Universal Wheels.....	75
4030-4048	Green Giant Stones.....	79	5390	High Speed Grinding Wheels.....	75
4161	A/O Rubi Stones.....	80	5397	Rubi Grinding Wheels.....	75
4171-4175	Red Laboratory Points.....	81	5400	Truing Block.....	15
4181-4185	White Laboratory Points.....	81	5401-5410	Instrument Sharpeners.....	81

5425-5429	Mandrels.....	85-86
5430-5432	Snap-On Mandrels.....	16, 85
5435-5438	Mandrels.....	85, 86
5441-5495	Classic Jumbo Polishers.....	50
5501-5516	Elite Non-Reinforced Discs (A/O).....	71
5528-5538	Elite Reinforced Discs (A/O).....	70
5540-5549	Elite Reinforced Discs Diamond.....	69
5551-5562	Elite Non-Reinforced Discs (S/C).....	71
5582-5586	Elite Fibreglass-Reinforced Discs (S/C).....	69
6100-6106	Acrylic Trimmers - Red.....	81
6201-6248	Green Giant Stones.....	79
6561-6568	Miracle Gold Silicone Polishers.....	57
7001-7004	Traditional Reinforced Discs (A/O).....	70
7005	Fibre-Cut Mandrel.....	86
7006-7008	Elite Non-Reinforced Discs (A/O).....	71
7010-7015	Model Trimmer Wheels.....	76
7027-7030	Classic Rubber Polishers.....	48
7060-7073	Stickies.....	76
7081-7084	Sunburst Pin Mandrels.....	15, 85
7103-7136	White Universal Polishers.....	55
7141-7142	Sunburst 5/8" TC Knife-Edge Discs.....	44
7143-7144	Sunburst 7/8" TC Discs.....	44
7145-7146	Sunburst 7/8" TC Dual Discs.....	44
7147-7148	Sunburst 7/8" TC Knife-Edge Discs.....	44
7153-7186	Black Universal Polishers.....	55
7191-7192	Sunburst 5/8" TC Knife-Edge Discs.....	44
7193-7194	Sunburst 7/8" TC Discs.....	44
7195-7196	Sunburst 7/8" TC Dual Discs.....	44
7197-7198	Sunburst 7/8" TC Knife-Edge Discs.....	44
7203-7236	Blue Universal Polishers.....	55
7241-7242	Sunburst 5/8" TC Knife-Edge Discs.....	44
7243-7244	Sunburst 7/8" TC Discs.....	44
7245-7246	Sunburst 7/8" TC Dual Discs.....	44
7247-7248	Sunburst 7/8" TC Knife-Edge Discs.....	44
7253-7286	Pink Universal Polishers.....	55
7291-7292	Sunburst 5/8" TC Knife-Edge Discs.....	44
7293-7294	Sunburst 7/8" TC Discs.....	44
7295-7296	Sunburst 7/8" TC Dual Discs.....	44
7297-7298	Sunburst 7/8" TC Knife-Edge Discs.....	44
7400	Universal Silicone Polisher Assortment.....	55
7503-7636	Silicone Polishers for Porcelain.....	57
7701-7746	Silicone Polishers for Acrylics.....	56


Item	Description	Page
7750	Acrylic Adjustment / Polishing Kit.....	56
7901-7906	Gray Ultra-Soft Silicone Polishers.....	57
8000-8306	Goldies Carbide Burs.....	59-60
8310-8379	Euro Goldies.....	61-62
8411-8423	Goldies Ring Burs.....	63
8441-8443	Florentine Goldies.....	63
8500	Goldies Carbide Drills.....	63
9000-9306	Carbide Burs.....	63-64
9310-9379	Euro Carbide Burs.....	65-66
9411-9423	Carbide Ring Burs.....	63
9441-9443	Florentine Carbide Burs.....	63
9588-9591	Traditional Reinforced Discs (A/O).....	70
9602-9649	CVD-Diamond Milling Burs.....	58
9858	Fibre-Cut Discs.....	70
23200-23918	Jewelers' Carbide Burs.....	67-68

STAINO®

Item	Description	Page
1501-1505	Interdental Refill Brushes.....	96
1526	Interdental Refill Brush Handle.....	96
1601-1605	Twins.....	93
1648	PY•CO•Twin.....	94
1655	Tooth Stain Eraser.....	99
1680	Flossbox.....	98
1740	Floss 'n Toss.....	97
1810	Dental Floss.....	97
1998-2000	iClean Prophy Polishers.....	89-90
5690	Minis Breakaway Display.....	95
5698	Jumbos Breakaway Display.....	95

WARRANTY

Dedeco International, Inc. recognizes its responsibility to replace or issue credit for such quantity of products as are proved to be defective. We do not accept liability for any loss or damage direct or consequential arising out of the use of or the inability to use the product. Before using, the user shall determine the suitability of the product for its intended use and user assumes all risk and liability whatsoever in connection therewith. The foregoing may not be changed except in writing signed by an officer of the corporation.



Quality products since 1937

Dedeco®

Dedeco International, Inc.

11617 State Route 97, Long Eddy, New York 12760-0244

Phone: (845) 887-4840 • Fax: (845) 887-5281

service@dedeco.com • www.dedeco.com



YouTube
Learn and get inspired with our
videos and curated playlists.
snbr.st/yt

Send us your  **SUNBURST®** videos

Norton and Speed-Lok are registered trademarks of Saint-Gobain Abrasives.
DREMEL is a registered trademark of Robert Bosch Tool Corporation.
3M, Scotch-Brite, Roloc and Sof-Lex are registered trademarks of 3M.
Cratex is a registered trademark of Cratex Manufacturing Co., Inc.
Xebec is a registered trademark of Xebec® Deburring Technologies
Dedeco, SUNBURST, E-Z Loc and MOTO-TOOL are registered trademarks of
Dedeco International, Inc.
© 2024 Dedeco International, Inc.



Proud supporter of S.T.E.A.M. programs and trade schools.

WARNING!

Exceeding maximum operating speed can
cause product to break apart and may
cause injury.

Always wear approved and appropriate
eye, face, ear, hand and body protections.